

STATE OF CALIFORNIA
The Resources Agency
DEPARTMENT OF WATER RESOURCES
Southern District

**WATERMASTER SERVICE
IN THE
UPPER LOS ANGELES RIVER AREA
LOS ANGELES COUNTY**

OCTOBER 1, 1975 - SEPTEMBER 30, 1976

District Report

May 1978

CONVERSION FACTORS

English to Metric System of Measurement

<u>Quantity</u>	<u>English unit</u>	<u>Multiply by</u>	<u>To get metric equivalent</u>
Length	inches (in)	25.4	millimetres (mm)
		.0254	metres (m)
	feet (ft)	.3048	metres (m)
	miles (mi)	1.6093	kilometres (km)
Area	square inches (in ²)	6.4516×10^{-4}	square metres (m ²)
	square feet (ft ²)	.092903	square metres (m ²)
	acres	4046.9	square metres (m ²)
		.40469	hectares (ha)
		.40469	square hectometres (hm ²)
		.0040469	square kilometres (km ²)
	square miles (mi ²)	2.590	square kilometres (km ²)
Volume	gallons (gal)	3.7854	litres (l)
		.0037854	cubic metres (m ³)
	million gallons (10 ⁶ gal)	3785.4	cubic metres (m ³)
	cubic feet (ft ³)	.028317	cubic metres (m ³)
	cubic yards (yd ³)	.76455	cubic metres (m ³)
	acre-feet (ac-ft)	1233.5	cubic metres (m ³)
		.0012335	cubic hectometres (hm ³)
		1.233×10^{-6}	cubic kilometres (km ³)
Volume/Time			
(Flow)	cubic feet per second (ft ³ /s)	28.317	litres per second (l/s)
		.028317	cubic metres per second (m ³ /s)
	gallons per minute (gal/min)	.06309	litres per second (l/s)
		6.309×10^{-5}	cubic metres per second (m ³ /s)
	million gallons per day (mgd)	.043813	cubic metres per second (m ³ /s)
Mass	pounds (lb)	.45359	kilograms (kg)
	tons (short, 2,000 lb)	.90718	tonne (t)
		907.18	kilograms (kg)
Power	horsepower (hp)	0.7460	kilowatts (kW)
Pressure	pounds per square inch (psi)	6894.8	pascal (Pa)
Temperature	Degrees Fahrenheit (°F)	$\frac{t_F - 32}{1.8} = t_C$	Degrees Celsius (°C)


FOREWORD

The Department of Water Resources as interim Watermaster for the Upper Los Angeles River Area (ULARA) is pleased to submit this report of water supply conditions in ULARA during the 1975-76 water year. It was prepared in accordance with an agreement between the Cities of Los Angeles, Glendale, Burbank, and San Fernando and the State effective July 1, 1976. This agreement, together with Part 4, Division 2, of the California Water Code, authorized this publication and the Department's administration of the Watermaster service area.

The full effect that the August 1, 1975, State Supreme Court decision will have on the Watermaster service in the ULARA has not been determined. It is expected that the final Judgment outlining the Watermaster's responsibilities will be entered in the Superior Court of Los Angeles County in the spring of 1978. In order to maintain continuity in operation, the State will maintain records as in the past until new procedures are developed.

This report includes information on ground water extractions and levels, use of imported water, recharge operations, water quality conditions, and other pertinent information pursuant to the agreement between the parties and the State.

The Watermaster wishes to acknowledge and express appreciation for the assistance and support received from the many public and private organizations and individuals whose contributions were essential to this report.



Jack J. Coe, Chief
Southern District
and Watermaster
Reg. C. E. No. 8075

TABLE OF CONTENTS

	<u>Page</u>
FOREWORD	iii
ORGANIZATION	vi
I. INTRODUCTION	1
History of Adjudication	4
Watermaster Service	5
Summary of 1975-76 Operating Conditions	6
II. WATER SUPPLY CONDITIONS	9
Precipitation	9
Runoff and Outflow from ULARA	13
Ground Water Recharge	15
Ground Water Table Elevations	16
Water Reclamation	17
Water Quality	26
Ground Water Contamination By Gasoline	27
III. WATER USE AND DISPOSAL	31
Ground Water Extractions	31
Imports and Exports of Water	32
Physical Data By Basins	33
APPENDIXES	
A. Order of Remand-Superior Court, City of Los Angeles vs City of San Fernando, et al	41
B. Agreement Between City of Los Angeles and Cities of Glendale and Burbank (Physical Solution) . .	49
C. Agreement Between City of Los Angeles and Cities of Glendale, Burbank and San Fernando (Interim Watermaster Service Agreement) . . .	57
D. Ground Water Extractions	63
E. Mean Daily Discharge at Key Surface Runoff Gaging Stations	69
F. Wells Drilled and Destroyed	75
FIGURES	
1 Fluctuation of Water Level at Wells in the San Fernando Basin	24
2 Fluctuation of Water Level Elevation at Wells in the San Fernando, Sylmar, and Verdugo Basins	25
3 Total Dissolved Solids, Sulfate and Chloride of Water Sources in ULARA	28
4 Ground Water Extractions and Use of Imported Water in Upper Los Angeles River Area	32
5 Monthly Water Demand and Average Rainfall in Upper Los Angeles River Area	33

TABLES

		<u>Page</u>
1	Summary of Operating Conditions 1974-75 and 1975-76	7
2	Precipitation	12
3	Monthly Runoff at Selected Gaging Stations	13
4	Separation of Surface Flow at Stations F-57C-R and F-252 . .	15
5	Spreading Operations	16
6	Water Reclamation Plants	17
7	Representative Mineral Analysis of Water	30
8	ULARA Imports and Exports	35
9	Summary of Water Supply and Disposal By Basins	36

PLATES

1	Upper Los Angeles River Area	2
2	Location of Wells and Hydrologic Stations	10
3	Lines of Equal Elevation of Ground Water, Spring 1976 . . .	18
4	Lines of Equal Elevation of Ground Water, Fall 1976	20
5	Lines of Equal Change in Ground Water Elevation, Fall 1975 to Fall 1976	22

State of California
The Resources Agency
DEPARTMENT OF WATER RESOURCES
Southern District

Jack J. Coe Chief, Southern District
Richard E. Angelos Chief, Operations Branch
Clyde B. Arnold Chief, Water Contract
Administration Section

This investigation was conducted and the
report was prepared by

Charles R. White Deputy Watermaster
Rudy Angerbauer Deputy Watermaster

assisted by

Stephen C. Anderson Associate Engineer Water Resources
Raymond Woo Associate Engineer Water Resources
Daniel F. Broadnacks Water Resources Technician II
Joseph F. Scott Water Resources Technician II
Tom Smith Water Resources Technician I
John Stanley Water Resources Technician I
Lee Spady Editorial Aid
Dean H. Wilson Head, Drafting Services
Paul Tiffany Head, Computer Services
Vance Dean Key Data Operator
Faith I. Zessman Composer Operator-Varityper
Joan Carter Office Technician (General)
Melba P. Apante Office Assistant II (Typing)
Lorenzo Y. Tokuyama Student Assistant
Jose Corado Student Assistant
Oscar Tapia Student Assistant

I. INTRODUCTION

Upper Los Angeles River Area (ULARA) encompasses all the watershed of the Los Angeles River and its tributaries above a point in the River designated as Los Angeles County Flood Control District (LACFCD) Gaging Station F-57C, near the junction of the Los Angeles River and the Arroyo Seco (Plate 1). ULARA encompasses 329,000 acres (113 143 hectares), composed of 123,000 acres (49 777 hectares) of valley fill, referred to as the ground water basins, and 206,000 acres (83 366 hectares) of hills and mountains. ULARA is bounded on the north by the Santa Susana Mountains and on the east by the San Rafael Hills, which separate it from the San Gabriel Basin. To the south, the Santa Monica Mountains separate it from the Los Angeles Basin; to the west lie the Simi Hills.

ULARA has four distinct ground water basins. The water supplies of these basins are separate and are replenished by deep percolation from rainfall and from a portion of the water that is delivered for use within these basins. The four ground water basins in ULARA are the San Fernando, Sylmar, Verdugo, and Eagle Rock Basins (Plate 1).

The San Fernando Basin, the largest of the four basins, consists of 45 325 hectares (112,000 acres) and comprises 90.8 percent of the total valley fill. It is bounded on the east and northeast by the San Rafael Hills and Verdugo Mountains, on the south by the Santa Monica Mountains, and on the northwest and west by the Santa Susana Mountains and Simi Hills.

The Sylmar Basin, in the northerly part of ULARA, consists of 2 266 hectares (5,600 acres) and comprises 4.5 percent of the total valley fill. It is bounded on the north and east by the San Gabriel Mountains. On the south, it is separated from the San Fernando Basin by the eroded limb of the Little Tujunga syncline and the Mission Hills. On the west are the Santa Susana Mountains.

The Verdugo Basin, north and east of the Verdugo Mountains in ULARA, consists of 1 781 hectares (4,400 acres) and comprises 3.8 percent of the total valley fill. It is bounded on the north by the San Gabriel Mountains, on the east by a ground water divide separating it from the Monk Hill Subarea of the Raymond Basin, on the southeast by the San Rafael Hills, and on the south and southwest by the Verdugo Mountains.

The Eagle Rock Basin, the smallest of the four basins, is in the extreme southeast corner of ULARA. It comprises 324 hectares (800 acres) and consists of 0.6 percent of the total valley fill.





PLATE I



History of Adjudication

ULARA was established by the JUDGMENT AFTER TRIAL BY COURT in Superior Court Case No. 650079, entitled The City of Los Angeles, A Municipal Corporation, Plaintiff, vs. City of San Fernando, et al., Defendants, signed March 14, 1968 by the Honorable Edmund M. Moor, Judge of the Superior Court. Prior to the Judgment, numerous pre-trials were held subsequent to the filing of the action by the City of Los Angeles in 1955 and before the trial commenced on March 1, 1966.

On March 19, 1958, an Interim Order of Reference was entered by the Court directing the State Water Rights Board, now known as the State Water Resources Control Board (SWRCB), to study the availability of all public and private records, documents, reports, and data relating to a proposed order of reference in the case. The Court subsequently entered on June 11, 1958, an "Order of Reference to State Water Rights Board to Investigate and Report upon the Physical Facts (Section 2001, Water Code)".

A final Report of Referee was approved on July 27, 1962, and filed with the Court. The Report of Referee made a complete study of the geology, insofar as it affects the occurrence and movement of ground water and the surface and ground water hydrology of the area. In addition, investigations were made of: the history of the horizontal and vertical location of the beds, banks, and channels of the Los Angeles River and its tributaries; the areas, limits, and directions of flow of all ground water within the area; the quality of the ground water in the basins; all sources of water, whether they be diverted, extracted, or imported, etc. This was the basis for the Judgment.

The City of Los Angeles filed an appeal with the Court of Appeals, which held a hearing on November 9, 1972, and issued its opinion on November 22, 1972. The opinion, prepared by Judge Compton and concurred in by Judges Roth and Fleming, reversed, with direction, the original Judgment handed down by Judge Moor. In essence, the City of Los Angeles was given rights to all water within ULARA including the use of the underground basins. The defendants, however, were given the right to capture "return water", which is water purchased from The Metropolitan Water District of Southern California (MWD) that percolates into the basin.

A petition for rehearing was filed on December 7, 1972, but was denied by the Court of Appeals. On January 2, 1973, the defendants appealed to the State Supreme Court. The Court on March 2, 1973, advised the parties it would hear the case. The hearing was held on January 14, 1975.

On May 12, 1975, the California Supreme Court issued its decision on the 20-year San Fernando Valley Water Litigation. This decision, which became final on August 1, 1975, upheld the Pueblo Water Rights of the City of Los Angeles to all ground water in the San Fernando Basin derived from precipitation within ULARA. The City of

Los Angeles' Pueblo Water Rights were not allowed to extend to the ground waters of the Sylmar and Verdugo Basins.

The City of Los Angeles was also given rights to all San Fernando Basin ground water derived from water imported by it from outside ULARA and either spread or delivered within ULARA. The Cities of Glendale and Burbank each were given rights to all San Fernando Basin ground water derived from water that each imports from outside ULARA and delivered within ULARA.

The Cities of Los Angeles, Glendale, Burbank, and San Fernando and the Crescenta Valley County Water District (CVCWD) are reviewing Los Angeles' draft of the "Findings of Fact, Conclusions of Law, and Judgment" in the San Fernando case as outlined in the "Remand Procedure Order No. 1," signed by Superior Court Judge Harry Hupp, dated March 18, 1977 (Appendix A).

Also, the Cities of Los Angeles, Glendale, and Burbank are proceeding to extract ground water from the San Fernando Basin pursuant to a Memorandum of Understanding, entered into by these cities on March 10, 1977. (See Appendix B.)

The Cities of Los Angeles and San Fernando in the Sylmar Basin and the CVCWD and City of Glendale in the Verdugo Basin are extracting ground water as they have in the past, but without any additional legal agreements between parties. The final judgment in this case will indicate the water rights of all parties. Said judgment is expected to be entered in the Los Angeles Superior Court in the spring of 1978.

Watermaster Service

Watermaster Service is administered by the Department of Water Resources (DWR) under Article 2, Chapter 2.5, Division 1 and Part 4, Division 2, of the California Water Code. Section 4025 authorizes DWR to form Watermaster Service Areas. Pursuant to Section 4026, such areas are created from time to time as rights to water are ascertained and determined. Particularly where ground water is concerned, such rights are usually ascertained or determined by court decree.

The ULARA Watermaster Service Area was formed on April 19, 1968.

In the Judgment of March 14, 1968, the Court appointed DWR as Watermaster to keep the Court fully advised in the premises and to assist the Court in the administration and enforcement of the provisions of the Judgment. The California Supreme Court decision of August 1, 1975, reversed the trial court judgment. Pending a final judgment, the parties to the original trial court judgment agreed that DWR should continue to act as Watermaster on an interim basis. The costs of the Interim Watermaster service are shared one-half by the parties and the other half by the State (Appendix C).

The DWR as Interim Watermaster for ULARA performed the responsibilities as required in the agreement between parties, dated March 10, 1977, with an effective date of July 1, 1976. This work included keeping records on all ground water extraction data (Appendix D) and other information, on a monthly basis, and the preparation of an annual report for the water years 1975-76 and 1976-77.

In preparing the 1975-76 annual report, DWR collected and reported all information affecting and relating to the water supply and disposal within ULARA. Such information includes the following items.

1. Water supply
 - a. Precipitation and runoff
 - b. Imports and exports
2. Water use and disposal
 - a. Extractions
 - (1) Used in valley fill area
 - (2) Exported from each basin
 - b. Water outflow
 - (1) Surface
 - (2) Subsurface
 - (3) Sewers
3. Water levels
4. Water quality
5. Watermaster administrative budgets and costs
6. Ownership and location of new wells

Summary of 1975-76 Operating Conditions

Table 1 compares statistics for this period of record and the prior water year.

Rainfall in the valley fill area was 60 percent of normal and was 33 percent less than the year before. With the exception of 1972-73, the last seven years have experienced below normal rainfall. Runoff decreased by 38 percent, reducing by 42 percent the amount of water conserved by LACFCD in its spreading basins.

Extractions within the San Fernando Basin increased by 42 percent over those in 1974-75. Ground water extractions in the Sylmar and Verdugo Basins were approximately the same as those of 1974-75.

For the ULARA, imports increased from 585.54 cubic hectometres (474,699 acre-feet) (1974-75) to 630.40 cubic hectometres (511,065 acre-feet) (1975-76), an increase of 44.86 cubic hectometres (36,366 acre-feet), or 8 percent. Exports decreased from

280.07 cubic hectometres (227,050 acre-feet) (1974-75) to 257.40 cubic hectometres (208,676 acre-feet) (1975-76), a decrease of 22.67 cubic hectometres (18,374 acre-feet), or 8 percent.

Water levels at key wells have dropped since the early 1940's from 0-3.05 metres (0-10 feet) in Canoga Park to 42.67-48.77 metres (140-160 feet) in the area between the Cities of Glendale and Burbank. Levels have not changed as drastically at the Narrows and Verdugo Basin. Sylmar Basin levels have dropped by 15.24-18.29 metres (50-60 feet) since the early 1940's.

Expenditures for Watermaster Service amounted to \$0.25 per acre-foot of ground water extracted. This was an increase of two cents per acre-foot over the previous year.

Table 1

SUMMARY OF OPERATING CONDITIONS
1974-75 and 1975-76

Item	Water Year	
	1974-75	1975-76
Parties	26	25
Active Pumps	19	18
Active nonparties (within valley fill)	3	1
Watermaster expenses (fiscal year)	\$26,113.50	\$29,626.00
Watermaster expenses per acre-foot pumped	\$ 0.23	\$ 0.25
Valley rainfall, in inches ^{d/}	14.74	9.90
Spreading Operations, in acre-feet ^{b,c/}		
LACFCD	9,495	5,468
Los Angeles, City of	13,291	9,337
Extractions, in acre-feet	111,966	119,975
Imports, in acre-feet		
Colorado River water	4,590	5,298
Owens River water ^{e/}	444,180 ^{a/}	451,814
Northern California water	25,929	53,953
Total	474,699	511,065
Delivered to hill and mountain areas, in acre-feet	50,667 ^{a/}	59,732
Exports, in acre-feet		
Owens River water	227,050 ^{a/}	208,676
Sewage	113,037	114,507

^{a/}The previous value which was published in the 1974-75 Annual Report was revised to reflect the actual measured data rather than the estimated values provided for the last three months of the 1974-75 water year.

^{b/}Breakdown of spreading operations as to sources of water are shown in Table 5.

^{c/}One acre-foot = 1 233 cubic metres.

^{d/}One inch = 25.4 millimetres.

^{e/}This value represents the summation of the gross amount of water delivered to and exported from ULARA. It does not include operational releases, reservoir evaporation, and water spread during the year.

II. WATER SUPPLY CONDITIONS

ULARA depends on many water sources to meet the demand created by rapid growth of industry and population. At present, the water supply of ULARA consists of: precipitation on the watershed which includes portions of the San Gabriel, Verdugo, Santa Monica, and Santa Susana Mountains; ground water that is in storage in the four basins; imports from the Mono Basin-Owens River system; imports from the Colorado River; and imports from Northern California made available by the State Water Project.

Precipitation


ULARA has the climate of an interior valley and is hotter in the summer and wetter in the winter than the coastal areas.

Precipitation varies considerably throughout ULARA, depending on topography and elevation. Mean seasonal precipitation ranges from about 355.6 millimetres (14 inches) at the western end of the San Fernando Valley to 889.0 millimetres (35 inches) in the San Gabriel Mountains. Approximately 80 percent of the annual rainfall occurs from December through March.

Precipitation in the valley is evaluated separately from that in the hills and mountains. The valley is made up of the four ground water basins, whereas the hills and mountains comprise the remaining areas in ULARA.

Precipitation in the hills and mountains is evaluated to relate the runoff from the watersheds of Big Tujunga, Pacoima Creek, and Sycamore Canyon to the runoff records which are included in this report and also to evaluate the ground water recharge. (See Plate 2 for location of precipitation stations.)

The 1975-76 water year experienced below average rainfall. The valley floor received 251.5 millimetres (9.90 inches) of rain, whereas the mountains received approximately 481.3 millimetres (18.98 inches). The weighted average of both hill and mountain areas was 360.7 millimetres (14.20 inches) a drop of 25.4 millimetres (1 inch) from last year. The 90-year (1881-1971) average precipitation for the valley and mountains is 417.8 millimetres (16.45 inches) and 542.3 millimetres (21.35 inches), respectively. Table 2 presents a record of rainfall at 22 key precipitation stations which were used to develop the 90-year average rainfall and are described in the Report of Referee.






Table 2. PRECIPITATION^{a/}
(in inches)^{l/}

LACFCD Number	Station	: 90-year: : mean*	: 1974-75 : precipi- : tation	1975-76	
	Name			: Precipi- : tation	: Percent of : 90-year : mean
11C	Upper Franklin Canyon Reservoir ^{b/}	18.31	16.57	7.94	43
13B	North Hollywood ^{c/}	16.69	14.73	10.53	63
436C	Hansen Dam ^{c/} ^{1/}	15.40	13.40	10.83	70
15A	Van Nuys ^{c/}	15.07	15.12	8.99	60
17	Sepulveda Canyon	19.07	18.90	10.37	54
23B-E	Chatsworth Reservoir ^{c/}	14.57	12.99	8.48	58
25C	Northridge-Andrews ^{c/}	14.52	13.79	7.63	53
29D	Granada Pump Plant	17.33	16.09	9.88	57
30B	Sylmar ^{c/}	16.66	16.92	11.82	71
33A-E	Pacoima Dam	18.72	16.72	13.91	74
47D	Clear Creek City School	30.59	25.28	27.13	89
53D	Colby's Ranch	29.75	20.44	22.54	76
54C	Loomis Ranch-Alder Creek	20.47	12.80	15.20	74
210B	Brand Park	18.71	16.34	13.90	74
251C	La Crescenta ^{c/}	23.50	20.08	16.25	69
259D	Chatsworth Patrol	17.88	16.60	9.10	51
364	Haines Canyon-Lower	24.06	19.07	20.83	87
1029	Tujunga-Mill Creek Summit ^{h/}	20.83	13.97	16.05	77
703	Glendale-McIntyre ^{c/} ^{d/}	17.65	15.81	12.23	69
466B	Pacoima Cyn-City Road Gauge	23.44	23.34 ^{e/}	25.61 ^{e/}	109
1051B	Canoga Park ^{e/}	14.39	13.92 ^{f/}	8.86	62
1074	Little Gleason ^{g/}	24.65	24.30	29.80	121

a/ Data furnished by Los Angeles County Flood Control District (LACFCD)

b/ Substituted for Franklin Canyon Station No. 12.

c/ Valley Station.

d/ Substituted for Glendale Station 295G.

e/ Substituted for Paradise Ranch-Alder Creek Station No. 705.

f/ Substituted by Woodland Hills Station 21B.

g/ Substituted for Santa Clara Ridge Station No. 419.

h/ Substituted for Tujunga-Mill Creek Station No. 470.

i/ Substituted for Roscoe-Merrill Station No. 14C.

l/ One inch = 25.4 millimetres.

* According to LACFCD the 95-year mean will not be computed because there is very little difference between it and the 90-year mean. The 100-year mean is being calculated by LACFCD.

Runoff and Outflow from ULARA

The drainage area of ULARA contains 1 331 984 525 square metres, or 133 198.45 hectares (329,137 acres), of which 83 248.38 hectares or 832 483 752.1 square metres (205,709 acres), are hills and mountains. The drainage system, in turn, is made up of the Los Angeles River and its tributaries. Surface flow in spring originates as: storm runoff from the hills and mountains; storm runoff from the impervious areas of the valley; operational spills of imported water; industrial and sanitary waste discharges; and rising water.

A number of stream-gaging stations are maintained throughout ULARA, either by LACFCD or U. S. Geological Survey (USGS). The Water-master has selected six key gaging stations which, in effect, record major runoff from hydrologic areas in ULARA.

Table 3 summarizes the monthly flows for each gaging station and compares the 1974-75 water year with the 1975-76 year. The decrease in runoff reflects the decrease in rainfall in both the mountain and valley areas.

The records presented here will keep the parties informed as to the magnitude of runoff from these various areas. The stations selected for this purpose are:

Table 3
MONTHLY RUNOFF AT SELECTED GAGING STATIONS
(in acre-feet) ^{a/}

Station	Water Year	Month												Total ^{b/}
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
57C-R Los Angeles River	1974-75	2430	596	16920	745	11658	21372	6635	827	640	626	679	1013	64,141
	1975-76	1124	567	1143	537	17630	3625	2195	868	742	454	634	10200	39,720
252-R Verdugo Channel	1974-75	272	134	1190	151	1010	1860	454	109	128	119	86	75	5,588
	1975-76	69	84	130	103	1177	575	340	329	564	271	210	701	4,550
E285-R Burbank Storm Drain	1974-75	459	377	1480	474	921	1610	658	633	571	615	641	680	9,119
	1975-76	605	548	650	438	1480	826	738	639	583	810	682	1412	9,410
300-R L. A. River at Tujunga Avenue	1974-75	1550	452	10880	539	6650	13280	4460	743	816	665	639	640	41,314
	1975-76	732	378	680	479	10650	2245	1279	574	855	572	660	6067	25,191
168-R Big Tujunga Dam	1974-75	2890	442	58	6	10	144	2460	374	361	358	369	953	8,425
	1975-76	17	3	38	83	768	616	1016	322	8	130	116	744	3,860
118B-R Pacoima Dam	1974-75	6	6	73	6	6	853	783	272	6	6	446	60	2,523
	1975-76	66	8	16	14	28	390	276	62	454	48	128	82	1,570

^{a/} 1 acre-foot = 1 233 cubic metres

^{b/} Numbers have been rounded which accounts for differences in figures between tables.

Station F-57C-R registers all surface outflow from ULARA.

Station F-252-R registers flow from Verdugo Canyon plus flows from Dunsmore and Pickens Canyons.

Station E-285-R registers flow from the westerly slopes of the Verdugo Mountains and some flow east of Lankershim Boulevard. It also records any releases of reclaimed waste water discharged by the City of Burbank.

Station F-300-R registers all flow west of Lankershim Boulevard plus outflow from Hansen Dam that is not spread. These records also include releases from Sepulveda Dam, which may include extractions from Reseda wells.

Station F-168-R registers all releases from Big Tujunga Dam, which collects runoff from Tujunga Canyon northeast of the Dam. Runoff below this point flows to Hansen Dam.

Station 118B-R registers all releases from Pacoima Dam that originate in Pacoima Canyon. Runoff below this point flows to the Lopez and Pacoima spreading grounds and on down to the Los Angeles River.

The locations of these key gaging stations are shown on Plate 2. The mean daily discharge rates for these six gaging stations during 1975-76 are summarized in Appendix E.

The Watermaster has attempted to compute the surface flow of the Los Angeles River at gaging Station F-57C-R as to the sources, i.e., storm runoff from precipitation, Owens River water, rising water or industrial and reclaimed waste water discharges. The Watermaster utilized the procedures outlined in the Report of Referee for estimating the approximate flow rates and sources of water passing gaging Station F-57C-R. A similar request was made for Station F-252-R. A summary of the procedures used follows and a tabulation of the computed flows is shown in Table 4.

The base low flows were separated from the surface runoff by the use of the hydrographs of Station F-57C-R. Base flows consist of rising water and industrial waste plus reclaimed water. Separation of base flow from surface runoff is based on the following assumptions:

Rising water equals base low flow minus the sum of industrial waste and reclaimed water. Industrial wastes are estimated from City of Los Angeles waste permits and the low flows in the Burbank-Western storm drain which includes waste water.

When the City of Los Angeles diverts water at the Head-works spreading grounds, all the rising water is diverted.

When there is no diversion, a portion of the rising water may percolate upstream from Station F-57C-R.

Table 4
SEPARATION OF SURFACE FLOW AT STATIONS F-57C-R AND F-252-R
(In acre-feet) ^{b/}

Period	Base low flow		Surface Runoff		Total Measured Outflow
	Rising Water	Waste Discharge	Owens River	Net Storm	
Station F57C-R					
1971-72	3,602 <u>a/</u>	8,219	0	35,049	46,870
1972-73	4,596 <u>a/</u>	8,776	0	100,587	113,959
1973-74	2,694 <u>a/</u>	6,366	0	79,818	88,878
1974-75	427 <u>a/</u>	7,318	0	56,396	64,141
1975-76	261 <u>a/</u>	6,741	0	32,723	39,725
29-year average 1929-57	6,810	770	1,580	30,790	39,950
Station F252-R					
1971-72	2,050	0	0	2,513	4,563
1972-73	1,706	0	0	7,702	9,408
1973-74	1,772	0	0	5,613	7,385
1974-75	1,333	0	0	4,255	5,588
1975-76	2,172	0	0	2,383	4,555

^{a/} May include rising water past rubber dam at Headworks Spreading Grounds, Verdugo Channel, and L. A. River Narrows.

^{b/} 1 acre-foot = 1 233 cubic metres

The surface runoff obtained from the hydrographs of Station F-57C-R consists of net storm runoff and Owens River water. The separation of surface runoff into these two components is based on the following assumptions:

Net storm runoff equals surface runoff minus Owens River water.

If the Headworks divert, all releases of Owens River waters are diverted to the Headworks spreading grounds.
If the Headworks does not divert, all releases of Owens River waters are considered as passing Station F-57C-R.

Ground Water Recharge

Local precipitation can have a marked influence on the ground water supply and water in storage. However, there is a wide variation in the annual amount of runoff as a result of changes in both precipitation and retentive characteristics of the watershed.

The accelerated urban development in ULARA has resulted in much of the rainfall being collected and routed into paved channels, which discharge into the Los Angeles River, and subsequently is carried out of the Basin. Plate 2 depicts the lined channels in ULARA.

To somewhat overcome the rapid outflow due to urbanization, Pacoima and Hansen Dams, originally built for flood protection, are currently being utilized to regulate storm flows to recapture the flow in spreading basins operated by LACFCD, as well as by the City of Los Angeles.

LACFCD operates the Branford, Hansen, Lopez, and Pacoima spreading grounds. The City of Los Angeles, in turn, operates the Tujunga and Headworks spreading grounds. Plate 2 shows the location of these spreading basins. The spreading grounds operated by LACFCD are utilized for spreading native water, whereas the spreading grounds operated by the City of Los Angeles are utilized to spread Owens River and native water, ground water and the discharge from the Reseda wells. Table 5 summarizes the spreading operations for the 1975-76 water year.

Ground Water Table Elevations

During the 1975-76 water year, the Watermaster collected and processed data to determine prevailing ground water conditions in ULARA during the spring and fall of 1976. Plates 3 and 4, which were provided by the Los Angeles Department of Water and Power, show these conditions. Change in ground water surface elevation from fall of 1975 to fall of 1976 as presented in Plate 5 reflects the effects of variations in spreading, ground water extractions, and rainfall.

Table 5
SPREADING OPERATIONS
(in acre-feet)^{b/}

Month	Native Water Spread by Los Angeles County Flood Control District				Water Spread by City of Los Angeles				
	Spreading Basins				Tujunga Spreading Grounds		Headworks Spreading Grounds		
	Branford	Hansen	Lopez	Pacoima	Native water	Owens River water	Owens River releases	Reseda wells	Ground water effluent in L.A. River ^{a/}
Oct. 1975	18	0	0	10	0	1355	0	0	74
Nov.	4	0	0	0	0	1468	0	0	190
Dec.	17	0	0	0	0	1799	0	0	209
Jan. 1976	5	0	0	0	0	878	0	0	498
Feb.	111	1327	0	435	0	0	0	0	351
Mar.	51	1104	341	152	0	0	0	0	406
Apr.	28	697	221	56	0	0	0	0	363
May	1	0	0	0	0	0	0	0	332
June	12	0	0	251	0	0	0	0	369
July	18	0	0	0	0	0	0	0	511
Aug.	16	0	0	79	0	0	0	0	338
Sept.	189	0	0	325	0	0	0	0	196
Totals	470	3128	562	1308	0	5,500	0	0	3,837

^{a/} Includes industrial discharge, ground water effluent, and surface runoff diverted from Los Angeles River to Headworks Spreading Grounds.

^{b/} One acre-foot = 1 233 cubic metres.

The decline in water level in the Tujunga area is due to decreased spreading within the Tujunga Spreading Grounds, as well as increased ground water production by the City of Los Angeles. The area south of Glendale in the Los Angeles Narrows shows a drop due to increased ground water extraction by Los Angeles at its Pollock Field. The area southeast of Burbank shows a rise. The areas in the vicinity of Van Nuys and North Hollywood show no change.

Figures 1 and 2 depict the water levels at key wells; their approximate locations are indicated by number shown on map on Figure 2.

Water Reclamation

Water reclamation could provide a source of water for irrigation, industrial, recreational, and possibly domestic use. Six waste water reclamation plants are in operation in ULARA. One was recently constructed and another is being considered (Plate 2). A tabulation of operating water reclamation plants is shown on Table 6.

The design of the Sepulveda Basin Water Reclamation Plant has been completed. It provides for a plant capacity of 1.75 cubic metres per second (40 million gallons per day--mgd), with treated

Table 6
WATER RECLAMATION PLANTS

Plant	Quantity Treated in Acre-Feet ^{a/} 1975-76
<u>San Fernando Basin</u>	
City of Burbank	5,282 ^{b/}
City of Los Angeles - Valley Settling Basin	502 ^{c/}
Indian Hills Mobile Homes	21 ^{d/}
Rocketdyne (Santa Susana Field Laboratory)	36 ^{e/}
The Independent Order of Foresters	18 ^{d/}
Total	5,859
<u>Verdugo Basin</u>	
Crescenta Valley County Water District	106 ^{c/}


^{a/} One acre-foot = 1 233 cubic metres


^{b/} Cooling towers used 1716 acre-feet, includes 50% evaporation, balance to Los Angeles River


^{c/} Balance to city sewer


^{d/} Used for land irrigation


^{e/} Area I - 10 acre-feet; Area II - 9 acre-feet; Area III - 17 acre-feet











SAN FERNANDO BASIN





Figure 1—FLUCTUATION OF WATER LEVEL ELEVATION AT WELLS
IN THE SAN FERNANDO BASIN



**Figure 2 – FLUCTUATION OF WATER LEVEL ELEVATION AT WELLS
IN THE SAN FERNANDO, SYLMAR AND VERDUGO BASINS**

effluent to be used for irrigation of the Sepulveda Basin recreation area and perhaps available for ground water recharge. The project will not proceed until the Environmental Protection Agency completes an assessment of the facility's needs and the approval of State and Federal construction grants has been received. The Los Angeles-Glendale Water Reclamation Plant began operation in February 1977. Treated water has been discharged into the Los Angeles River intermittently. The design capacity is .876 cubic metre per second (20 mgd). Water from this plant will eventually be used in Griffith Park and surrounding areas for irrigation purposes.

The City of Los Angeles is participating in the development of a regional water reclamation study in Southern California along with other State and local agencies. The objective of this study is to prepare a coordinated water reclamation plan for the Los Angeles and Orange County areas. This study is estimated to be completed in 1980.

Water Quality

Water resources management must take into account water quality as well as water supply. The total dissolved solids (TDS) concentration in a water is the quality indicator that is generally used.

Imported Water

- A. Owens River and Mono Basin water is sodium bicarbonate in character. Its TDS concentration averaged about 210 milligrams per litre (mg/l) for 30 years before 1969, the highest record being 320 mg/l on April 1, 1946, and the lowest, 150 mg/l on September 17, 1941. Average TDS concentration for 1975-76 was slightly higher than for 1974-75.
- B. Colorado River water is predominately sodium-calcium sulfate in character, changing to sodium sulfate after treatment to reduce total hardness. Samples taken at the Burbank turnout between 1941 and 1975, before State Water Project water arrived, indicated a TDS concentration high of 875 mg/l in August 1955 and a low of 625 mg/l in April 1959. The average over the 32-year period was approximately 740 mg/l. During the 1975-76 water year, a program of blending State Water Project water with Colorado River water was begun. The beneficial effect of this program is shown by a decrease of 275 mg/l TDS at Eagle Rock Reservoir.
- C. Northern California water (State Water Project water) is sodium-calcium bicarbonate-chloride-sulfate in character. It generally contains less TDS and will be softer than local and Colorado River water. TDS concentration averaged 270 mg/l and hardness averaged 130 mg/l during 1975-76, much better in quality than the prior year. Water quality should improve as storage in Castaic Reservoir is increased.

Surface Water

Surface runoff contains salts dissolved from rocks in the tributary areas. Surface water is calcium bicarbonate in character. In 1975-76, low flows above the Los Angeles Narrows had an average TDS content of 750 mg/l and a total hardness of 280 mg/l.

Ground Water

The character of ground water from the major water-bearing formations is of two general types, each reflecting the composition of the surface runoff in the area. In the western part of ULARA, it is calcium sulfate in character, while in the eastern part, including Sylmar and Verdugo Basins, it is calcium bicarbonate. Ground water in ULARA is moderately hard to very hard.

Ground water is generally within the recommended limits of the United States Public Health Service Drinking Water Standards, except perhaps for wells in the western end of the San Fernando Basin having excess concentrations of sulfate and those in the lower part of the Verdugo Basin having abnormally high concentrations of nitrate.


A comparison of the various water sources as to TDS, sulfate, and chloride content is shown in Figure 3. Representative mineral analyses of imported, surface, and ground waters for 1975-76 are contained in Table 7.

Ground Water Contamination by Gasoline

During the 1975-76 water year, progress continued toward abating gasoline contamination near Forest Lawn Cemetery. A brief description of the status of this water quality problem is given below.

The Western Oil and Gas Association drilled a number of wells in the contaminated area. Some of the wells were pumped to contain the gasoline and to prevent the contaminated water from spreading further. In addition, gasoline and contaminated water were skimmed from other wells, and the remaining wells were used for observation. The lighter gasoline was locally separated from the contaminated water, which was conveyed to a conventional waste water treatment plant. At the present time, there is no trace of odor or taste of gasoline from the water.

A detailed description of the cleanup program was given in previous Watermaster reports.



DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1977




Figure 3(Cont.) - TOTAL DISSOLVED SOLIDS, SULFATE, AND CHLORIDE
OF WATER SOURCES IN ULA RA

Table 7
REPRESENTATIVE MINERAL ANALYSIS OF WATER

Well number or source	Date sampled	ECx10 ⁶ at 25°C	pH	Mineral constituents in										Milligrams per liter (mg/l)				Total dissolved solids mg/l	Total hardness as CaCO ₃ mg/l
				Ca	Mg	Na	K	CO ₃	HCO ₃	SO ₄	Cl	NO ₃	F	B					
IMPORTED WATERS																			
Blended State Project and Colorado River Water at Eagle Rock Reservoir	1975-76 (average)	776	8.10	52 2.59	20 1.65	75 3.26	3.8 0.10	0.7 0.02	124 2.03	173 3.60	71 2.00	1.6 0.03	0.25 0.01	0.18 0.05	469	214			
Owens River Water at Upper Van Norman Reservoir Inlet	1975-76 (average)	299	7.95	24 1.20	5.0 0.41	30 1.30	3.2 0.08	0.5 0.02	132 2.16	20 0.42	13 0.37	0.8 0.01	0.52 0.03	0.34 0.09	184	79			
State Project Water at Joseph Jensen Filtration Plant (Effluent)	1975-76 (average)	452	8.41	31.3 1.57	12.5 1.03	39.8 1.73	2.0 0.05	1.3 0.04	104 1.70	59 1.24	47 1.34	0.67 0.01	0.25 0.01	0.19	258	130			
SURFACE WATER																			
Los Angeles River at Sepulveda Blvd.	11-5-75	1210	8.77	109 5.44	37 3.05	110 4.78	5.8 0.15	7.0 0.23	260 4.26	288 6.00	99 2.79	6.2 0.10	--	--	864	424			
	4-7-76	1315	8.91	123 6.14	40 3.29	105 4.57	5.2 0.13	4.0 0.13	269 4.41	284 5.92	123 3.46	12 0.19	--	--	480	470			
Los Angeles River at Burbank-Western Wash	11-5-75	854	7.71	42 2.10	18 1.48	98 4.26	9.9 0.25	0.3 0.01	119 1.95	123 2.56	91 2.56	41 0.66	--	--	558	180			
	4-7-76	849	7.87	40 2.00	14 1.15	88 3.83	12 0.31	0.6 0.02	166 2.72	109 2.27	95 2.68	12 0.19	--	--	250	158			
Los Angeles River at Colorado Blvd.	11-5-75	1200	8.09	94 --	31 2.55	110 4.78	7.8 0.20	1.1 0.04	192 3.15	272 5.67	105 2.96	26 0.42	--	--	838	360			
	4-7-76	1020	8.54	78 --	25 2.06	90 3.91	6.4 0.16	3.0 0.10	201 3.30	181 3.77	104 2.93	10 0.16	--	--	342	298			
GROUND WATERS																			
(SAN FERNANDO BASIN - WESTERN PORTION)																			
2N/16W-27F02 (Reseda No. 8) 4756C	10-10-75	1360	7.44	178 9.89	32 2.64	86 3.74	1.0 0.03	0.5 0.02	411 6.74	291 6.07	70 1.92	24 0.39	0.27 0.02	0.66 0.19	857	575			
(SAN FERNANDO BASIN - EASTERN PORTION)																			
1N/14W-08B01 (No. Hollywood #19) 3830 D	1-18-76	592	7.73	69 3.45	18 1.49	27 1.18	2.9 0.08	0.5 0.02	219 3.59	96 2.00	15 0.43	12 0.20	0.53 0.03	--	373	246			
(SAN FERNANDO BASIN - L. A. NARROWS)																			
1S/13W-04L03 (Pollock No. 6) 3958H	10-7-75	1240	7.44	124 6.19	41 3.38	84 3.66	2.8 0.08	0.44 0.014	340 5.57	211 4.40	108 3.05	22 0.36	0.25 0.02	0.5 0.14	781	480			
(SYLMAR BASIN)																			
2N/15W-04B09 (Mission No. 5)* 4840J	1-22-76	752	7.75	86 4.30	17 1.40	43 1.87	4.8 0.13	0.7 0.02	255 4.18	98 2.05	48 1.36	13 0.21	0.30 0.02	0.30 0.09	474	284			
(VERDUGO BASIN)																			
1N/13W-10F03 (Glorietta No. 3)	3-16-76	810	7.00	87 4.34	31 2.51	31 1.35	2.8 0.07	0 0	189 3.10	106 2.21	64 1.80	71 1.14	0.2 0.01	--	524	343			

*Substituted for Mission No. 1

III. WATER USE AND DISPOSAL

Water delivered for use in ULARA is either imported water, local ground water, local surface diversions, or a mixture, depending on the area and water system operation. During the 1975-76 water year, water purveyors in ULARA delivered approximately 520.08 cubic hectometres (421,633 acre-feet) to their customers. Of this total, approximately 147.99 cubic hectometres (119,975 acre-feet) were extracted and the remaining 372.10 cubic hectometres (301,658 acre-feet) were imported. The Basin contains 543 wells, of which 140 are active and 403 are inactive, observation, test, capped, etc. Six wells were drilled and eleven were destroyed in 1975-76 (Appendix F).

The adjudication of ground water rights in ULARA restricted all ground water extractions, effective October 1, 1968. On that date, extractions were restricted to approximately 128.88 cubic hectometres (104,000 acre-feet) per water year. This amounted to a reduction of approximately 61.68 cubic hectometres (50,000 acre-feet) below the previous 6-year average.

Sparkletts Drinking Water Corporation and Deep Rock Water Company are the only parties that extract water from the Eagle Rock Basin.

Figure 4 illustrates the annual ground water extractions and total water imported in ULARA, beginning with the 1944-45 water year. Note the change from 1968-69 through 1975-76.

It can also be noted that for 10 years before pumping was restricted, imports exceeded extractions by from 61.68 to 74.01 cubic hectometres (50,000 to 60,000 acre-feet) per year and that for the seven water years, 1968-69 - 1975-76, the difference increased to between 148.02 and 197.36 cubic hectometres (120,000 and 160,000 acre-feet).

Figure 5 provides an analysis of the monthly relationship between rainfall, ground water extractions, and imported supply. Data relate to all ULARA and not to any one specific ground water basin. The precipitation values were obtained from stations on the valley floor (Table 2).

Ground Water Extractions

Because of the August 1, 1975, Supreme Court Decision, the State DWR as Interim Watermaster exercises no control over the ground water extractions. Appendix D is a record of extractions by each of the parties in each of the basins during 1975-76.

Imports and Exports of Water

Residential, commercial, and industrial expansion in ULARA requires the importation of additional water supplies to supplement that provided by the ground water basins.

The imported supplies to ULARA are from the City of Los Angeles' Owens-Mono Basin Aqueduct and through the MWD distribution system, which consists of California and Colorado River Aqueduct waters.





Figure 4- GROUND WATER EXTRACTIONS AND USE OF IMPORTED WATER
IN UPPER LOS ANGELES RIVER AREA

DEPARTMENT OF WATER RESOURCES, SOUTHERN DISTRICT, 1977



Exports from ULARA, exclusive of sewage, are limited to the City of Los Angeles, which exports imported and ground water. Table 8 summarizes the nontributary imports and exports from ULARA. Ground water imports and exports in and out of ULARA are listed in Table 9.

Physical Data by Basins

The Watermaster has collected and summarized data in Table 9 which show the water supply and disposal in each of the basins.

The information for Table 9 was submitted by the parties. In instances where estimates were made by the parties, such as water delivered to hill and mountain areas, sewage exported, etc., these were based upon methods consistent with previous estimates computed by SWRCB for the San Fernando Valley Reference. The Watermaster also made computations of subsurface outflows based on similar computations made by SWRCB.

The City of Glendale reevaluated the quantities of extracted and imported water delivered to the valley fill within the San Fernando Basin and the Verdugo Basin. This report reflects this reevaluation, and the values in this report, as well as revision of data contained in past Watermaster reports, are subject to approval in the final judgment in this case expected June of 1978.

Some of the figures submitted for Table 9 are estimates due to lack of information at the time of submittal. However, the actual figures based on measured values were subsequently submitted to the Watermaster for the permanent records and are available upon request.

TABLE 8 ULARA IMPORTS AND EXPORTS

Source and Agency	Quantity, in acre-feet ^{c/}	
	1974-75	1975-76
<u>IMPORTS</u>		
<u>Colorado River Water</u>		
Burbank, City of	0	0
Crescenta Valley County		
Water District	1,235	725
Glendale, City of	0	265
Los Angeles, City of	2,719	3,933
La Canada Irrigation	636	375
District		
Las Virgenes Municipal	0	0
Water District (nonparty)		
San Fernando, City of	0	0
	4,590	5,298
<u>Northern California Water</u>		
Burbank, City of	8,115	18,491
Crescenta Valley County	267	894
Water District		
Glendale, City of	9,518	22,249
La Canada Irrigation	148	518
District		
Las Virgenes Municipal	7,881	9,511
Water District (nonparty)		
San Fernando, City of	0	0
Los Angeles, City of	0	2,290
	25,929	53,953
<u>Owens River Water</u>		
Los Angeles, City of	444,180 ^{a, b/}	451,814 ^{b/}
Total	474,699 ^{a/}	511,065
<u>EXPORTS</u>		
<u>Owens River Water</u>		
Los Angeles, City of	-227,050 ^{a/}	-208,676
Net Import	247,649 ^{a/}	302,389
<p>^{a/}The previous value which was published in the 1974-75 Annual Report was revised to reflect the actual measured data rather than the estimated values provided for the last three months of the 1974-75 water year.</p> <p>^{b/}This value represents the summation of the gross amount of water delivered to and exported from ULARA. It does not include operational releases, reservoir evaporation, and water spread during the year.</p> <p>^{c/}One acre-foot = 1 233 cubic metres.</p>		

Table 9
1975-76
SUMMARY OF WATER SUPPLY AND DISPOSAL
SAN FERNANDO BASIN
(in acre-feet) *

Water source and use	City of Burbank	City of ^{e/} Glendale	City of Los Angeles	City of San Fernando	All others	Total
<u>Extractions</u>						
Total quantity	5,098	3,413	95,313	0	4,633	108,457 ^{a/}
Used in valley fill	4,783	3,208	7,735	0	4,580 ^{b/}	20,306 ^{c/}
<u>Imports</u>						
Colorado River water	0	265	2,484	0	--	2,749
Owens River water	--	--	443,778	--	--	443,778
Northern Calif. water	18,491	22,249	1,446	0	9,511	51,697
Ground water from Sylmar Basin	--	--	2,880	3,337	0	6,217
Ground water from Verdugo Basin	--	604	--	--	--	604
<u>Exports</u>						
Ground water:						
to Verdugo Basin	--	0	0	--	0	0
out of ULARA	--	--	90,458	--	0	90,458
Owens River water:						
to Eagle Rock Basin	--	--	1,945	--	--	1,945
out of ULARA	--	--	208,676	--	0	208,676
Colorado River:						
to Verdugo Basin	--	39	0	--	0	39
Northern Calif. water:						
to Verdugo Basin	--	3,255	0	--	--	3,255
<u>Water delivered to hill and mountain areas</u>						
Ground water	315	205	0	0	0	520
Owens River water	--	--	40,571	--	--	40,571
Colorado River water	0	18	1,304	0	--	1,322
Northern Calif. water	1,163	1,555	759	0	9,511	12,988
Verdugo Basin water	--	49	--	--	--	49
<u>Water outflow</u>						
Surface	--	--	--	--	--	39,725 ^{c/}
Subsurface	--	--	--	--	--	226
Sewers	11,873 ^{d/}	18,090	77,900	2,203	--	110,066

a/ Excludes production from Reseda wells which amounted to 1 acre-foot.

b/ Excludes production of 53 acre-feet by Western Oil and Gas Association (nonparty).

c/ At Station F-57C-R where 29-year mean (1929-57) base low flow is 7,580 acre-feet.

d/ Includes reclaimed water discharged into Burbank-Western storm channel by City of Burbank.

e/ Reevaluation of imported water delivered to valley fill in San Fernando and Verdugo Basins by City of Glendale subject to approval by court in final judgment in the San Fernando case.

Table 9
1975-76.
SUMMARY OF WATER SUPPLY AND DISPOSAL
SYLMAR BASIN
(in acre-feet) *

Water source and use	City of Los Angeles	City of San Fernando	All others	Total
<u>Extractions</u>				
Total quantity	2,880	3,667	10	6,557
Used in Valley Fill	0	330	10	340
<u>Imports</u>				
Owens River Water	7,026	--	--	7,026
<u>Exports</u>				
Ground Water:				
to San Fernando Basin	2,880	3,337	0	6,217
<u>Water delivered to hill and mountain areas</u>				
Owens River Water	388	--	--	388
<u>Water outflow</u>				
Surface				5,000 ^{g/}
Subsurface:				^{f/}
to San Fernando Basin				
Sewers	780	218	0	998

^{f/} Computation not possible, well destroyed.

^{g/} Surface outflow is not measured. Calculated average surface outflow by Mr. Lavery - SF Exhibit 57.

Table 9
1975-76.
SUMMARY OF WATER SUPPLY AND DISPOSAL
VERDUGO BASIN
(in acre-feet) *

Water source and use	Crescenta Valley County Water District	City of Glendale	La Canada Irri- gation District	City of Los Angeles	Total
<u>Extractions</u>					
Total quantity	2,876	2,086	0	0	4,962
Used in Valley Fill	2,781	1,739	0	0	4,520
<u>Imports</u>					
Colorado River Water	725	39	375	0	1,139
Owens River Water		--	--	1,010	1,010
Northern Calif. Water	894	3,255	518	0	4,667
Ground water from:					
San Fernando Basin	--	0	--	0	0
<u>Exports</u>					
Ground water to:					
San Fernando Basin	--	604	--	--	604
<u>Water delivered to hill and mountain areas</u>					
Colorado River Water	53	9	0	0	62
Owens River Water	--	--	--	335	335
Northern Calif. Water	0	763	0	0	763
Ground water from:					
Verdugo Basin	94	347	--	0	441
San Fernando Basin	--	0	0	0	0
<u>Water outflow</u>					
Surface					4,555 ^{h/}
Subsurface:					
to Monk Hill Basin					300 ^{d/}
to San Fernando Basin					63
Sewage	0	1,423	0	0	1,423

^{h/} Information obtained from Station F-252C-R.

^{d/} Based on 29-year average (1929-57).

Appendix A

**ORDER OF REMAND - SUPERIOR COURT
CITY OF LOS ANGELES VS. CITY OF SAN FERNANDO**

Table 9
1975-76.
SUMMARY OF WATER SUPPLY AND DISPOSAL
EAGLE ROCK BASIN
(in acre-feet) *

Water source and use	City of Los Angeles	Deep Rock Water Company	Sparkletts Drinking Water Corporation	Total
<u>Extractions</u>				
Total quantity	0	6	138	144
Used in Valley Fill	0	0	0	0
<u>Imports</u>				
Owens River	1,945	--	--	1,945
Colorado River	1,449	--	--	1,449
Ground Water	0	0	0	0
Northern Calif. Water	844	0	0	844
<u>Exports</u>				
Ground water	0	6	138	144
<u>Water delivered to hill and mountain areas</u>				
Colorado River Water	944	--	--	944
Owens River Water	800	--	--	800
Northern Calif. Water	549	--	--	549
<u>Water outflow</u>				
Surface		--	--	k/
Subsurface		--	--	50 ^{1/}
Sewers	2,020	0	0	2,020

k/ Information not available.

^{1/} Estimated in Supplemental No. 2 to Report of Reference for dry years 1960-61.
Currently, data not available for direct evaluation.

* 1 acre-foot = 1 233 cubic metres.

1 BURT PINES, City Attorney
2 EDWARD C. FARRELL, Chief Assistant
3 City Attorney for Water and Power
4 RALPH GUY WESSON, Assistant City Attorney
5 GILBERT W. LEE, Deputy City Attorney
6 111 North Hope Street
7 P. O. Box 111
8 Los Angeles, California 90051
9 (213) 481-6362 481-4211
10
11 DONALD D. STARK, Special Counsel
12 2061 Business Center Drive
13 Suite 201
14 Irvine, California 92715
15 (714) 752-8971
16
17 Attorneys for Plaintiff

FILED

MAR 18 1977

John J. Cameron, Acting County Clerk
M. A. Drabickas
BY M. A. DRABICKAS, DEPUTY

11 SUPERIOR COURT OF THE STATE OF CALIFORNIA
12 FOR THE COUNTY OF LOS ANGELES
13

14 THE CITY OF LOS ANGELES,)
15)
16 Plaintiff,)
17)
18 vs.)
19)
20 CITY OF SAN FERNANDO, et al.,)
21)
22 Defendants.)
23)
24)
25)
26)
27)
28)

No. 650079

REMAND
PROCEDURE ORDER NO. 1

20 RECITALS

21 (a) Original Trial Court Proceedings. The complaint in this
22 matter was filed on September 30, 1955. After reference to the
23 State Water Rights Board (now State Water Resources Control Board)
24 for a report on the relevant facts, and following 104 days of
25 pretrial and 188 court days in trial, the final arguments ended
26 July 20, 1967. Two additional days were taken on October 27, 1967
27 (when all counsel assembled in court and the Judge's Memorandum of
28 Decision was delivered to counsel and further procedure discussed)

1 and on October 30, 1968 (when the matter of further proceedings to
2 be had and procedure to be taken was further discussed). The
3 Judge's Memorandum of Decision was filed October ^{31, 1967} 30, 1968.

4 Thereafter, in accordance with the pretrial conference order,
5 further proceedings were had on issues left open pending the rul-
6 ing of the court on the major contentions of the parties, presen-
7 tation of evidence and arguments on that phase of the case took an
8 additional 13 days.

9 This was followed by hearings on the proposed findings of
10 fact and conclusions of law and evidence in support thereof and on
11 the proposed judgment and the objections thereto which required
12 another ten days.

13 On March 14, 1968, comprehensive findings of fact and con-
14 clusions of law were signed and filed, and on the same day judg-
15 ment after Trial by Court was filed. The judgment was entered the
16 following day, March 15, 1968.

17 Altogether, 317 days were taken in pretrial, trial and sub-
18 sequent proceedings before judgment was entered.

19 (b) Appellate Review and Decision. Los Angeles appealed
20 from the trial court judgment. On May 12, 1975, the Supreme Court
21 issued its opinion reversing the trial court decision and remanded
22 the cause to the trial court for further proceedings consistent
23 with its opinion. (14 Cal.3d 199.) On July 30, 1975, that opin-
24 ion was modified in the order denying rehearing. (14 Cal.3d 952a
25 [The full decision, as modified, is also set forth at 132 Cal.
26 Rept. 1].)

27 (c) Remittitur and Proceedings on Remand. The remittitur of
28 the Supreme Court was issued on August 1, 1975, and is on file

44

1 herein. The parties thereafter entered into informal negotiations
2 to resolve the issues remaining by reason of the Supreme Court
3 decision. On February 25, 1977, the Presiding Judge assigned this
4 case to this Court for all purposes. It is the function of this
5 Remand Procedure Order No. 1 to set forth the initial procedural
6 rules and criteria to be followed in bringing this matter to final
7 judgment.

8 ORDER

9 Based upon preliminary conference discussion with counsel for
10 the respective parties, and good cause appearing, IT IS HEREBY
11 ORDERED that the following procedures shall govern and control
12 proceedings on remand in the above-entitled matter:

13 1. Proposed Form of Findings, Conclusions and Judgment as to
14 Matters Not in Dispute. Los Angeles shall submit on or before
15 April 18, 1977, a proposed form of Findings of Fact, Conclusions
16 of Law and Judgment covering factual and legal issues not in
17 dispute and consistent with the decision of the Supreme Court.
18 Each of the defendants shall have to May 30, 1977, in which to
19 file objections to the form or substance of said proposed docu-
20 ments. Thereafter, the court will make and enter an interlocutory
21 order ^{settling} ~~containing~~ said Findings, Conclusions and Judgment provisions
22 on all undisputed issues of fact and law. (~~said settled documents~~
23 ~~will then constitute a framework for specific findings, conclu-~~
24 ~~sions and judgment provisions to be thereafter entered upon reso-~~
25 ~~lution of remaining disputed issues~~) Objections by defendants to
26 proposed findings, conclusions or judgment provisions, therefore,
27 may be either (a) by way of correction or addition to proposed
28 findings and conclusions, or (b) by a statement that the subject

1 matter remains in issue and should be the subject of further
2 proceedings. If the court shall determine that the latter objec-
3 tion raises a bona fide issue under the decision and order of the
4 Supreme Court, no preliminary finding, conclusions or judgment
5 provisions will be settled on that issue.

6 2. Interlocutory Judgments. It has been represented to the
7 Court that the remaining issues as to many parties and hydrologic
8 areas may well be subject to negotiation and stipulation, whereas
9 significant dispute may remain as to other parties or hydrologic
10 areas. Accordingly, the Court contemplates separating considera-
11 tion of these several areas of agreement or disagreement and
12 entering, where practical, ^{an}interlocutory order ^{or orders} disposing of those
13 matters which can be agreed upon. ^{Additional interlocutory}~~Similar~~ orders will be entered
14 following appropriate rulings on motions, or determination of
15 disputed issues of fact following trial and the taking of evidence.
16 It is then contemplated that final findings, conclusions and judg-
17 ment will be entered incorporating ~~the substance of~~ each of the
18 interlocutory orders.

19 Based upon preliminary discussions with counsel, it appears
20 that separate interlocutory orders will be utilized at least for
21 the following specific subject matters:

- 22 (a) Verdugo Basin
- 23 (b) Sylmar Basin
- 24 (c) San Fernando Basin

25 (The San Fernando Basin interlocutory
26 order may well result from separate
27 consideration of the issues relative
28 to three defendant groupings:

1 [1] Glendale and Burbank


2 [2] Nonconsumptive or Minimal Users

3 [3] Other Defendants.)

4 3. Further Trial on Contested Issues. To the extent that
5 contested issues of fact or law remain, counsel for the respective
6 parties involved are requested to prepare preliminary pretrial
7 statements designating the factual and legal issues remaining and
8 to seek appropriate stipulation as to factual and evidentiary
9 material.

10 4. Subsequent Remand Procedure Orders. Because of the com-
11 plexity and long history of this litigation, the Court deems it
12 appropriate to fashion the procedures on remand as the occasion
13 and circumstances develop. ~~It is contemplated that a~~ full proced-
14 ure conference will be held in this matter ~~on~~ ¹⁷ June, 1977 ^{at}
15 ^{9:30 A.M.} ~~at a date to be set by subsequent order of the Court.~~ Thereafter,
16 from time to time, subsequent numbered remand procedure orders
17 will be issued to govern and guide the conduct of proceedings
18 herein. The parties are urged, in the meantime, to continue the
19 informal, cooperative negotiations which have been evidenced in
20 the preliminary conference with the Court on this matter.

21 DATED: March 18, 1977.

22 
23 _____
24 Judge of the Superior Court
25
26
27
28

Appendix B

**AGREEMENT BETWEEN CITY OF LOS ANGELES AND
CITIES OF GLENDALE AND BURBANK**

(Physical Solution)

AGREEMENT NO. 10055

between

DEPARTMENT OF WATER AND POWER OF
THE CITY OF LOS ANGELES

and

CITIES OF
GLENDALE AND BURBANK

MEMORANDUM OF UNDERSTANDING FOR
INTERIM PHYSICAL SOLUTION BETWEEN
LOS ANGELES, GLENDALE AND BURBANK

This Memorandum of Understanding is made between City of Los Angeles, acting by and through its Board of Water and Power Commissioners, City of Glendale and City of Burbank.

RECITALS

The main judgment in the case of City of Los Angeles v. City of San Fernando, et al. (Los Angeles Superior Court Action No. 650079) was entered March 15, 1968. An appeal was taken by Los Angeles, and said judgment was reversed by the California Supreme Court on May 12, 1975. (14 Cal.3d 199.) The remittitur of the Supreme Court was issued August 1, 1975. No final judgment has been entered.

Subsequent to said appellate decision, the parties have conducted studies and engaged in negotiations seeking possible settlement of a part or all of the issues remaining between them in said case, and in related damage actions. As part of said negotiations, a letter agreement dated November 18, 1975, previously stipulated:

" . . . the extractions from and importations to the San Fernando subarea by each party in the period from October 1, 1975 to the effective date of the stipulated injunction now being discussed shall be charged or credited, as the case may be, to that party's entitlement for the current water year as finally determined in such injunction. It is also agreed that if it appears to any party that no such stipulation can be reached, an application may be made at any time for a preliminary injunction and that, in such event, each party's extractions and importations beginning October 1, 1975 shall likewise

be charged or credited to its entitlement as determined by the court. The entitlement to extract water by Glendale and Burbank shall also include whatever rights they may have by reason of a court determined physical solution in connection with such preliminary injunction."

The parties desire to extend the operation of an earlier Memorandum of Understanding for Interim Physical Solution, which covered the period October 1, 1975 to September 30, 1976. This extension shall cover and be applicable to the period October 1, 1976 through September 30, 1977. This agreement form is utilized, in lieu of a preliminary injunction and court-imposed physical solution, to encourage continued negotiations in the hope and expectation that amicable agreement on some or all issues will be reached. No attempt is made hereby to define or prejudice the ultimate rights or remedies of any party.

COVENANTS

1. Agreed Credit of Glendale and Burbank.

For the period October 1, 1976 to September 30, 1977, Glendale may pump from the San Fernando subarea 2,620 acre feet and Burbank may pump from the San Fernando subarea 5,170 acre feet, which quantities shall be deemed, for these interim purposes, to be return flow credit for imported MWD water.

2. Additional Pumping.

In addition to the amounts set forth in Paragraph 1, Glendale and Burbank may pump from the San Fernando subarea during the same period 4,700 acre feet and 3,800 acre

feet, respectively, conditioned only upon reporting and payment as provided in Paragraphs 3 and 4.

3. Certified Reports.

Glendale and Burbank shall each cause a certified report to be furnished in writing to Los Angeles, under penalty of perjury, on or before March 15, 1977, which shall state the total production of such city from the San Fernando Basin during the period October 1, 1976 through February 28, 1977. Thereafter, a monthly certified statement shall be furnished on or before the 15th of each month showing total production during the preceding calendar month, and the cumulative production by such city during the 1976-77 water year.

4. Payment for Additional Pumping.

Glendale and Burbank shall pay Los Angeles \$65.00 per acre foot for all water extracted pursuant to Paragraph 2 hereof. Said payment shall accompany each monthly report which reflects production pursuant to Paragraph 2. Any delinquent payment shall bear interest at the rate of 7% per annum.

5. Scope of Understanding.

This agreement is made solely to provide an acceptable interim operating procedure so that the parties may complete full negotiations for final judgment in the pending cases, or, failing that, that they may prepare for trial of remaining issues. The understandings herein reached are by way of compromise and shall not be construed as

admissions of any party as to any matter -- whether format, concept, quantities or costs -- and shall not be admissible as evidence in any court proceeding between the parties except to enforce its terms between the parties.

EXECUTED this 10th day of March, 1977.

APPROVED AS TO FORM AND LEGALITY
BURT PINES, CITY ATTORNEY.

MAR 10 1977
By Ralph Guy Wesson
RALPH GUY WESSON
Assistant City Attorney

DEPARTMENT OF WATER AND POWER OF THE
CITY OF LOS ANGELES

By
BOARD OF WATER AND POWER COMMISSIONERS
OF THE CITY OF LOS ANGELES

By James W. Wilson
General Manager and Chief Engineer
and Judith K. Dawson
Secretary

Approved

[Signature]
City Attorney

CITY OF GLENDALE

By [Signature]
By _____

CITY OF BURBANK

Approved

[Signature]
City Attorney

By Joseph W. Baker
City Manager
Attest Gwendolyn L. Haley
City Clerk

RECORDED BY
MAR 10 1977

Appendix C

**AGREEMENT BETWEEN CITY OF LOS ANGELES AND
CITIES OF GLENDALE, BURBANK, AND SAN FERNANDO**

(Interim Watermaster Service)

AGREEMENT NO. 10056

between

DEPARTMENT OF WATER AND POWER OF
THE CITY OF LOS ANGELES

and

CITIES OF
GLENDALE, BURBANK AND SAN FERNANDO

MEMORANDUM AGREEMENT
FOR INTERIM MAINTENANCE OF
WATERMASTER SERVICE
ULARA

THIS MEMORANDUM AGREEMENT is made and entered into as of July 1, 1976, by and between the Cities of LOS ANGELES (acting by and through its Department of Water and Power), GLENDALE, BURBANK and SAN FERNANDO.

RECITALS

(a) San Fernando Case. Los Angeles v. San Fernando, L. A. Superior Court No. 650,079, was filed in 1955, brought to trial in 1966 and judgment adjudicating the rights of the parties in and to the waters of Upper Los Angeles River Area (ULARA) was entered in 1968.

(b) Watermaster Service. By the original 1968 Judgment, the Department of Water Resources of the State of California (DWR) was appointed to act as Watermaster to administer the provisions of the Judgment under the Court's continuing jurisdiction.

(c) Annual Reports. The Watermaster has published seven annual Watermaster Service Reports (Bulletin 181 Series). The report for the water year 1975-76 is in the course of preparation.

(d) Supreme Court Reversal. In 1975, the California Supreme Court reversed the trial court judgment and remanded the case for further proceedings. No final judgment has

been entered and presently there is no effective trial court order implementing or authorizing continuance of Watermaster service.

(e) Intent. It is the intent and desire of the parties to this Agreement, being the major parties interested in the continued operation and management of the water resources of ULARA, to complete the 1975-76 water year report and maintain Watermaster service under a voluntary agreement for contribution of costs for compilation of data and preparation of a 1976-77 water year report.

COVENANTS

IN CONSIDERATION OF The premises and of the covenants herinafter contained, the parties agree:

1. DWR as Watermaster. DWR shall continue to perform the duties of accumulation and publication of hydrologic data and such other functions that relate directly thereto, such as testing of meters; etc.

2. Contributions Toward Cost. The parties hereto, in consideration of the contribution by the State of California of 50 percent of the cost of Watermaster service, agree to contribute and pay, as billed by DWR, the following percentages of Watermaster costs incurred in preparation of the 1975-76 and 1976-77 water year reports, with the total costs not to exceed \$35,000:

Los Angeles	-	25%
Glendale	-	11.5%
Burbank	-	11.5%
San Fernando	-	2%

IN WITNESS WHEREOF, the parties hereto have
caused this Memorandum Agreement to be executed as of the
day and date first above written.

DEPARTMENT OF WATER AND POWER OF THE
CITY OF LOS ANGELES

by

BOARD OF WATER AND POWER COMMISSIONERS
OF THE CITY OF LOS ANGELES

Loefer Newman
General Manager and Chief Engineer
and Judith D. Sanders
Secretary

CITY OF GLENDALE

By J. B. Smith

CITY OF BURBANK

By Joseph Baker

CITY OF SAN FERNANDO

By Henry C. Harris

APPROVED AS TO FORM AND LEGALITY
BURT PINES, CITY ATTORNEY

APR 27 1977
By Ralph Guy Wesson
RALPH GUY WESSON
Assistant City Attorney

AUTHORIZED BY RES. 551
MAR 10 1977

Appendix D

GROUND WATER EXTRACTIONS

ULARA BASIN
GROUND WATER EXTRACTIORS
(ACRE-FEET)

STATE WELL NUMBER	OWNERS DESIG- NATION	PRODUCTION												TOTAL	
		1975			1976										
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP		

SAN FERNANDO BASIN														
BURRANK, CITY OF														
1N/14W-09A03S	14A	15.52	0	0	10.12	14.44	82.32	0	19.99	104.37	71.32	151.04	0	468.12
1N/14W-09R04S	17	66.73	0	0	6.83	13.36	30.87	0	11.38	93.12	52.08	94.80	34.93	404.10
1N/14W-09G02S	12	197.87	0	0	7.46	15.19	52.42	0	0	28.35	65.42	0	16.06	382.77
1N/14W-09G03S	9	17.29	0	0	14.39	12.37	26.98	0	6.67	25.50	0	52.94	17.67	173.81
1N/14W-09H01S	10-R	184.31	0	49.59	26.49	10.01	50.72	0	1.86	79.52	14.24	37.71	184.01	638.46
1N/14W-09H04S	11A	162.04	0	50.38	10.99	11.17	68.46	0	2.07	54.92	49.69	110.46	221.67	741.65
1N/14W-09K02S	13A	207.53	0	0	8.64	11.74	45.80	4.58	10.64	109.12	92.92	112.04	130.35	735.36
1N/14W-09L04S	1R	204.42	0	0	27.68	24.37	55.59	0	0	48.84	41.73	86.24	4.99	493.86
1N/14W-09O01S	6A	245.52	0	0	19.67	15.36	111.32	8.13	13.18	118.00	112.53	20.25	288.66	952.62
1N/14W-11O01S	7	0*	0*	0*	9.53*	6.62*	14.08*	3.72*	0*	0*	7.20*	0*	4.04*	45.19
1N/14W-14R0RS	15	0	0	0	12.37	8.79	19.14	5.23	0	0	11.05	0	5.70	62.28
PARTY TOTALS:		1301.23	0	99.97	154.17	143.42	557.70	23.66	64.79	661.74	514.18	665.48	907.48	5098.22
CONROCK CO.														
2N/14W-30A01S	4926	14.75	13.84	14.46	12.45	12.56	15.27	17.88	16.65	15.01	15.80	18.09	14.81	182.07
2N/14W-30A03S	2	60.53	80.75	84.62	72.75	63.97	78.47	91.73	90.82	83.04	77.35	84.78	67.27	936.08
2N/14W-30A04S	3	60.61	74.95	66.30	60.80	38.93	34.40	33.76	11.33	71.14	66.55	71.69	58.43	668.89
PARTY TOTALS:		135.89	169.54	165.88	146.00	115.46	128.14	143.37	138.80	169.19	159.70	174.56	140.51	1787.04
FORST LAWN CEMETERY ASSN ET AL														
1N/13W-33N01S	2	0	22.22*	11.18*	0	11.53	13.37	14.99	19.24	21.19	17.50	19.79	11.41	164.42
1N/13W-33N02S	3	0*	0*	0*	0*	68*	3.58	2.96	5.65	1.83	8.36	9.18	3.18	35.42
1N/13W-33N03S	4	14.60	13.60	10.32	0*	0*	0*	4.32	20.23	18.38	14.86	16.13	9.29	126.73
1N/13W-33P01S	6	0*	0*	0*	0*	0*	0*	1.16	0	0	0	0	0	.20
1S/13W-04B01S	7	0	0	0	3.18	1.14	0	4.20	10.75	6.66	9.08	6.51	3.15	43.67
PARTY TOTALS:		14.60	35.82	21.50	3.18	12.35	16.99	33.63	45.87	48.06	49.80	51.61	27.03	370.44
GLENDALE, CITY OF														
/ -	GVENT	112.75	35.60	96.67	429.34	411.23	423.20	130.73	64.45	252.57	309.96	158.05	68.44	2492.99
1N/13W-19J01S	STPT1	26.34	7.29	5.71	11.62	32.36	4.47	34.25	0.06	4.16	12.11	16.38	5.62	161.37
1N/13W-19J04S	STPT2	69.98	100.02	91.16	72.50	31.08	59.07	20.08	53.62	74.98	65.66	55.30	65.56	759.01
PARTY TOTALS:		209.07	142.91	194.54	513.46	474.67	486.74	185.06	118.13	331.71	347.73	229.73	139.62	3413.37
HARPER, CECILIA DE MILLE														
2N/14W-05A07S	CEREG	.13*	.27*	.08*	.23*	.12*	.05*	.14*	.27*	.27*	.31*	.38*	.23*	2.48
LIVINGSTON-GRAHAM, INC.														
2N/14W-19O01S	SNVAL	51.92	39.43	46.56	51.62	33.73	59.52	46.58	30.27	45.59	39.97	41.58	36.61	523.38
LOS ANGELES, CITY OF-DWP (RESEDA)														
1N/16W-03A03S	R-2	0	.02	.02	0	0	0	0	0	0	0	0	0	.04
2N/16W-27F02S	R-8	0	.02	.02	0	0	0	0	0	0	0	0	0	.04
2N/16W-34K02S	R-5	0	0	.02	0	0	0	0	0	0	0	0	0	.02
PARTY TOTALS:		0	.04	.06	0	0	0	0	0	0	0	0	0	.10
LOS ANGELES, CITY OF-DEPT W/P														
1N/14W-05N01S	NH-16	62.81	.25	0	52.07	39.49	103.42	0	254.36	306.01	265.29	143.53	51.81	1279.04
1N/14W-05P01S	NH-18	0	.28	0	73.44	63.04	0	59.69	370.52	352.85	268.14	365.93	237.74	1791.63
1N/14W-05P02S	NH-17	184.96	.21	0	35.79	63.13	108.75	53.95	333.79	317.72	247.36	328.97	45.71	1740.34
1N/14W-06K01S	NH-39	63.89	.11	0	302.25	0	0	33.75	0	31.36	.48	0	0	431.86
1N/14W-06K02S	NH-40	27.96	.23	0	207.48	409.32	237.14	0	70.94	0	0	0	12.67	965.74
1N/14W-06K03S	NH-41	333.29	.30	0	45.52	0	0	42.70	449.24	427.98	454.22	454.32	384.21	2615.78
1N/14W-06K04S	NH-62	215.01	74.27	0	61.25	148.00	205.00	32.81	14.05	0	0	0	0	750.39
1N/14W-06L01S	NH-24	185.67	.16	0	22.50	0	0	122.47	353.31	336.78	347.34	344.35	239.33	1951.91
1N/14W-06N01S	NH-2	.16	0	0	10.26	0	130.17	97.80	292.47	276.63	275.23	279.61	285.58	1647.91
1N/14W-06N02S	NH-30	108.84	0	0	46.40	0	0	41.32	313.13	294.31	288.29	277.94	40.06	1410.31
1N/14W-06P01S	NH-5	0	.11	0	88.57	67.03	69.15	0	0	0	0	0	0	224.86
1N/14W-06P02S	NH-31	.16	0	0	258.49	129.52	95.52	0	11.32	104.52	57.21	151.22	0	807.96
1N/14W-06Q01S	NH-13	7.69	.11	0	0	40.73	66.69	92.75	212.12	194.93	204.32	202.25	118.69	1140.28
1N/14W-06Q02S	NH-14A	10.01	.18	0	46.69	0	0	0	0	0	0	0	0	56.88
1N/14W-06Q05S	NH-29	0	.21	0	101.97	40.86	301.17	0	11.85	97.04	87.93	22.54	0	658.47
1N/14W-06Q07S	NH-38	49.43	.28	0	348.46	198.23	163.13	383.84	406.57	485.08	498.62	495.41	464.92	3493.97
1N/14W-06R01S	NH-11	80.97	.14	0	31.45	45.32	34.44	0	8.61	0	.21	0	0	201.14
1N/14W-06R05S	NH-27	26.47	.07	0	127.32	25.48	158.65	0	8.73	7.48	0	0	0	352.20
1N/14W-06R07S	NH-28	183.06	.18	0	41.30	42.70	105.76	268.82	350.90	355.83	191.07	365.93	359.50	2265.05
1N/14W-07A01S	W-1	306.01	117.17	155.69	160.47	311.07	273.03	196.67	182.30	63.57	11.70	0	53.54	1851.22
1N/14W-07J01S	E-10	217.63	63.06	0	29.20	206.61	202.71	45.73	0	13.45	0	0	45.91	824.30
1N/14W-07J03S	F-6	195.36	63.77	0	80.44	170.57	206.84	27.32	0	5.95	55.60	0	0	805.85
1N/14W-08A01S	NH-21	87.88	.14	0	201.10	96.60	84.73	0	154.36	43.41	139.00	65.20	81.38	955.80
1N/14W-08A02S	NH-20	167.13	1.24	0	0	104.22	72.22	42.70	255.97	241.97	217.31	232.62	79.57	1614.95

Note: 1 acre-foot = 1 233.5 cubic metres

ULARA BASIN
GROUND WATER EXTRACTIONS
(CONTINUED)
(ACRE-FEET)

STATE WELL NUMBER	OWNERS DESIG- NATION	PRODUCTION												TOTAL	
		1975			1976										
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP		
SAN FERNANDO BASIN															
LOS ANGELES, CITY OF-DEPT W/P (CONTINUED)															
1N/14W-08A035	NH-35	0	.14	0	177.46	24.27	124.52	11.48	159.80	126.45	42.47	150.78	122.31	939.68	
1N/14W-08A015	NH-19	102.09	.23	0	34.02	32.83	85.77	0	61.68	255.97	240.45	0	0	832.84	
1N/14W-08D015	W-2	278.81	98.88	96.92	181.59	139.00	96.33	171.51	374.61	206.45	0	75.30	198.58	1867.98	
1N/14W-08E015	W-3	138.02	145.32	135.26	241.05	71.30	269.74	168.32	246.21	240.04	225.57	253.44	241.74	2376.01	
1N/14W-08F015	W-4	0	0	0	0	0	0	0	78.03	366.37	377.41	374.20	338.68	1514.69	
1N/14W-08J015	E-5	210.56	.23	0	312.90	81.89	363.87	224.62	341.37	319.24	302.73	370.04	99.98	2629.25	
1N/14W-08J035	F-3	0	.11	0	40.82	71.74	243.57	131.11	219.00	215.27	204.27	223.14	147.15	1516.19	
1N/14W-08J045	E-1	14.42	.23	0	53.31	220.39	64.55	0	0	0	170.26	0	0	483.16	
1N/14W-08L015	W-5	328.05	87.53	178.54	64.28	263.52	245.06	220.43	329.43	297.80	312.44	221.99	238.75	2787.82	
1N/14W-08L025	F-4	0	.11	0	163.50	101.56	254.13	85.31	254.36	227.32	240.84	231.18	145.22	1703.53	
1N/14W-08R015	W-7	90.22	69.97	100.60	0	150.94	223.60	30.46	0	0	0	57.62	34.46	757.87	
1N/14W-15N015	V-2	166.90	155.23	149.68	139.00	161.16	173.55	77.82	0	0	42.29	160.24	81.96	1307.83	
1N/14W-15P015	V-4	189.44	195.59	189.92	196.53	186.64	194.90	186.87	195.59	187.56	189.62	189.62	144.86	2247.14	
1N/14W-16D015	W-9	60.56	54.13	66.67	65.20	88.93	98.19	30.19	8.72	0	0	0	0	472.59	
1N/14W-16F015	0	0	0	0	0	0	0	0	0	25.71	380.85	376.72	375.11	1158.39	
1N/14W-16F015	W-10	12.17	8.24	0	5.26	16.07	73.88	0	0	9.18	0	34.55	0	161.35	
1N/14W-17A015	W-8	72.68	.21	128.28	205.69	43.30	207.99	111.47	11.73	40.17	59.78	0	0	903.30	
1N/14W-19F035	CS-46	287.76	362.11	322.89	252.48	116.67	333.79	234.23	0	0	0	0	0	1851.93	
1N/14W-21R015	V-13	0	.05	0	0	0	0	0	0	0	0	0	0	.05	
1N/14W-21C015	V-16	161.62	25.73	0	132.35	151.52	150.60	65.54	0	11.18	77.92	0	0	736.46	
1N/14W-21G015	V-24	230.72	68.14	209.44	232.35	222.22	233.47	227.46	216.69	228.65	232.55	233.93	181.13	2536.75	
1N/14W-22R015	V-11	262.63	238.91	269.28	263.36	250.46	260.33	252.69	262.86	250.23	241.51	258.49	239.67	3050.42	
1N/14W-24D035	H-26	165.17	160.93	177.69	176.54	157.83	171.03	158.40	167.13	73.99	0	0	0	1408.71	
1N/14W-24D045	H-27	165.75	171.49	183.31	185.95	183.08	199.04	190.43	198.69	204.55	220.50	231.75	230.60	2365.14	
1N/14W-24D055	H-28	410.01	396.24	410.70	410.93	386.36	412.53	392.33	407.94	398.65	413.68	417.70	405.19	4862.26	
1N/14W-24D065	H-29	380.39	364.21	369.15	353.88	327.36	332.84	304.06	299.59	291.44	290.40	284.32	272.96	3870.40	
1N/14W-24E065	H-25	161.85	157.94	167.47	170.22	160.93	168.04	154.73	162.88	166.67	165.56	0	0	1636.29	
1N/14W-24H035	CS-52	6.03*	2.84	4.31*	7.78*	2.35*	9.94*	5.24*	4.21*	13.34*	7.80*	5.34*	8.48*	77.66	
1N/15W-01K015	NH-15	.11	0	0	39.49	0	0	5.28	0	4.38	0	0	0	49.26	
1N/15W-01K025	NH-34	213.75	0	0	0	124.89	103.91	131.77	301.19	286.04	258.24	286.04	281.68	1987.11	
1N/15W-01K045	NH-36	.28	0	0	286.18	327.85	445.13	32.30	0	85.79	153.58	305.83	368.96	2005.90	
1N/15W-01K055	NH-37	246.99	0	0	69.10	219.67	0	42.33	442.84	298.46	212.35	127.64	0	1659.38	
1N/15W-01P045	NH-25	0	106.13	0	.11	0	0	0	0	0	0	0	0	106.24	
1N/15W-01D025	NH-22	173.51	.14	0	165.06	112.95	261.59	144.86	305.10	292.24	301.42	277.59	243.55	2278.01	
1N/15W-01D035	NH-23	340.75	74.00	0	260.56	39.07	0	46.37	360.65	345.27	354.68	351.01	34.66	2207.02	
1N/15W-01D045	NH-26	305.39	0	0	36.94	0	0	45.22	352.39	339.07	348.94	320.00	26.70	1772.65	
1N/15W-02D015	NH-7	0	.09	0	28.70	0	102.66	91.89	213.96	146.24	177.92	209.17	204.32	1177.15	
1N/15W-02D025	NH-32	129.44	1.63	0	18.89	0	.60	50.41	126.97	10.77	0	0	0	338.75	
1N/15W-02P015	NH-4	22.36	.11	0	111.23	0	0	12.92	73.29	87.28	0	0	0	267.19	
1N/15W-02P025	NH-33	204.06	.16	0	20.13	0	166.67	7.12	66.92	82.32	104.36	107.44	28.01	787.19	
2N/14W-12C015	TGPLT	63.57	.09	.05	0	53.58	64.19	39.42	4.45	0	.21	0	37.12	262.68	
2N/14W-13D045	WDW02	0	0	.02	0	0	0	0	0	0	0	0	0	.02	
2N/14W-13D055	LNGMR	0	0	.14	0	0	0	0	0	0	0	0	0	.14	
2N/14W-13E035	FTHL3	0	0	.28	0	0	0	0	.14	0	.21	0	0	.63	
2N/14W-13E045	FTHL2	0	.44	.05	0	0	0	0	.05	0	.25	0	0	.79	
2N/14W-14A015	FNW11	0	0	.07	0	0	0	0	0	0	0	0	0	.07	
1S/13W-04K015	P-7	.14	0	0	0	0	0	0	2.27	0	0	0	.18	2.59	
1S/13W-04L025	P-4	53.72	0	0	0	0	0	0	102.62	119.95	128.10	125.46	124.31	654.16	
1S/13W-04L035	P-6	200.87	193.64	203.63	201.33	186.07	195.71	180.79	173.90	154.73	152.43	146.81	139.43	2128.34	
1S/13W-04L045	P-5	174.59	168.39	177.00	172.98	163.45	178.83	167.93	161.73	150.48	145.55	134.07	139.69	1934.69	
PARTY TOTALS:		8539.81	3572.03	3697.04	7849.57	7041.77	9128.47	6001.43	10715.33	10496.12	10365.36	10273.47	7633.06	95313.46	
MENA, JOHN AND BARBARA															
2N/14W-11N015	4973J	.08*	.08*	.08*	.08*	.08*	.08*	.08*	.08*	.08*	.08*	.08*	.08*	.96	
SEARS ROEBUCK AND COMPANY															
1N/13W-20R015	3945	20.70*	2.10*	8.75*	5.39*	2.50*	10.88*	13.38*	19.10*	30.40*	31.18*	33.36*	31.22*	210.96	
SOUTHERN SERVICE COMPANY															
1N/13W-20F015	METR1	1.46	1.20	1.31	1.19	1.13	1.30	1.16	1.06	1.33	1.22	1.10	1.10	14.56	
1N/13W-20F015	METR2	1.35	1.20	1.19	1.09	1.07	1.18	1.11	1.00	1.25	1.18	1.12	1.06	13.80	
1N/13W-20F015	METR3	1.90	1.64	1.80	1.54	1.48	1.55	1.57	1.39	1.55	1.52	1.37	1.27	18.58	
PARTY TOTALS:		4.71	4.04	4.30	3.82	3.68	4.03	3.84	3.45	4.13	3.92	3.59	3.43	46.94	
SPORTSMEN'S LODGE, INCORPORATED															
1N/15W-25D015	1	.80	.70	.58	.17	.03	0	.77	.85	.97	1.46	.67	.48	7.48	
TOLUCA LAKE PROPERTY OWNERS ASSN															
1N/14W-28R015	386SF	3.22	2.94	2.65	.78	0	3.25	1.83	3.55	1.11	2.22	2.04	.22	23.81	
VALHALLA MEMORIAL PARK															
1N/14W-04N035	4	18.56	22.94	6.50	7.12	0	5.53	21.05	28.43	46.49	39.40	0	9.27	204.29	

ULARA BASIN.

GROUND WATER EXTRACTIONS
(CONTINUED)
(ACRE-Feet)

STATE WELL NUMBER	OWNERS DESIGN- NATION	PRODUCTION												TOTAL	
		1975			1976										
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP		
SAN FERNANDO BASIN															
WALT DISNEY PRODUCTIONS															
1N/14W-23E01S	EAST	131.13	.29	95.31	0	60.30	22.39	88.28	25.31	116.62	75.18	138.87	22.72	736.31	
1N/14W-23F02S	WEST	22.29	69.51	17.21	67.23	21.58	88.93	9.19	100.94	2.52	114.00	39.58	109.89	664.87	
PARTY TOTALS:		153.42	69.71	112.52	67.23	81.88	111.32	97.47	126.25	119.14	151.18	178.45	132.61	1401.18	
WESTERN OIL AND GAS ASSOCIATION (NON PARTY)															
/ -	COX	4.58*	1.75*	2.29*	6.19*	0*	0*	0*	0*	0*	0*	0*	0*	14.81	
EL/L/S -	F-L	4.65*	4.18*	4.97*	5.02*	14.83*	4.15*	0*	0*	0*	0*	0*	0*	37.80	
PARTY TOTALS:		9.23	5.93	7.26	11.21	14.83	4.15	0	0	0	0	0	0	52.61	
BASIN TOTALS:		10463.37	4068.48	4368.27	8814.03	7924.52	10516.85	6572.29	11305.17	11955.00	11751.69	11655.00	9062.25	108456.72	
SYLMAR BASIN															
BROWN, CHARLES T															
3N/15W-34K03S	1	0*	0*	2.32*	.69*	.19*	0*	.01*	1.39*	1.36*	1.33*	0*	0*	7.29	
LOS ANGELES, CITY OF-DEPT W/P															
2N/15W-04	S MISSN	0	0	0	135.12	373.67	384.27	356.18	349.04	330.95	332.44	316.48	302.23	2880.38	
D L + E A HERSH AND G B + L M PLUMB															
3N/15W-25G01S	3	.01*	.01*	2.30*	.15*	0*	0*	0*	0*	0*	0*	0*	0*	2.47	
SAN FERNANDO, CITY OF - WATER DEPT															
3N/15W-27001S	7A	70.45	66.00	51.30	70.93	26.57	44.30	30.14	24.12	220.90	54.50	46.74	46.43	754.38	
3N/15W-34A01S	4	20.91	16.14	8.30	10.86	3.00	6.50	3.53	9.81	33.53	28.10	19.21	10.61	170.50	
3N/15W-34C01S	3	10.58	.03	2.21	4.29	9.99	17.78	33.08	99.24	107.23	115.13	117.08	38.37	555.01	
3N/15W-35H02S	2A	191.60	181.12	187.59	187.64	175.29	187.09	179.81	185.59	178.84	183.83	183.29	165.10	2186.79	
PARTY TOTALS:		293.54	263.29	249.40	273.72	214.85	255.67	244.56	320.76	540.50	381.56	366.32	260.51	3666.68	
BASIN TOTALS:		293.55	263.30	254.02	409.68	588.71	639.94	602.75	671.19	872.81	715.33	682.80	562.74	6556.82	
VERDUGO BASIN															
CHESCFNTA VALLEY COUNTY WATER DIST															
1V/EPS-10N	PICK	14.39	13.76	14.01	14.26	13.33	14.20	13.74	14.15	13.55	8.16	11.65	11.52	156.72	
1N/13W-03D05S	8	26.62	24.28	21.23	13.88	8.85	17.07	11.75	12.14	45.95	73.36	8.00	31.04	256.17	
2N/13W-28N01S	9	14.07	19.90	28.70	27.77	1.13	0	.15	11.03	15.76	3.15	22.50	0	144.16	
2N/13W-29F02S	2	15.75	15.09	15.54	15.28	14.24	11.54	14.88	14.80	11.28	11.95	14.61	3.60	158.58	
2N/13W-13C01S	7	13.86	.84	0	17.77	6.54	5.35	30.67	10.76	20.93	34.08	17.86	16.93	195.57	
2N/13W-33C01S	1	36.37	39.55	42.09	41.17	37.25	26.37	10.68	14.50	12.81	11.95	6.16	5.07	283.97	
2N/13W-33C06S	5	11.34	45.19*	65.21	59.14	58.80	24.98	22.09	33.19	49.82	56.32	53.90	7.10	487.08	
2N/13W-33H01S	14	29.75	24.82	21.19	24.88	12.59	19.56	11.41	27.59	24.05	34.98	31.15	15.25	276.42	
2N/13W-33R03S	6	17.91	13.65	12.39	13.78	9.09	13.05	11.57	20.76	22.27	23.04	18.19	11.17	186.87	
2N/13W-33R05S	10	69.08	6.71	40.83	41.57	16.61	19.66	12.95	34.10	39.18	39.97	27.95	23.84	372.45	
2N/13W-33R06S	12	38.24	43.17	0	15.43	20.05	25.47	24.86	26.69	38.43	36.92	44.88	39.94	358.08	
PARTY TOTALS:		287.38	246.16	261.19	284.93	198.48	177.25	170.75	219.71	294.03	293.86	258.87	165.46	2876.07	
GLENDALE, CITY OF															
1N/13W-10F01S	GL3-4	135.93	129.14	132.27	133.14	40.38	140.92	126.36	137.43	126.05	133.97	125.75	120.86	1482.20	
1N/13W-15L01S	VPCKP	92.97	90.34	95.35	95.29	91.10	94.79	43.81	0	0	0	0	0	603.56	
PARTY TOTALS:		228.90	219.48	227.62	228.34	131.48	235.71	170.17	137.43	126.05	133.97	125.75	120.86	2085.76	
BASIN TOTALS:		516.28	465.64	488.81	513.27	329.96	412.96	340.92	377.14	420.08	427.83	382.62	286.32	4961.83	
GRAND TOTALS:		11273.29	4797.42	5111.10	9736.98	8843.19	11569.75	7515.96	12353.50	13247.89	12894.65	12720.42	9911.31	119975.37	

Appendix E

MEAN DAILY DISCHARGE AT KEY SURFACE RUNOFF GAGING STATIONS

1975-1976 NEAR DAILY DISCHARGE OF LOS ANGELES RIVER ABOVE AAROTO BRG In second-feet												
Station # 17C-8	October	November	December	January	February	March	April	May	June	July	August	September
1	15.0	8.3	7.8	7.4	18.4	639.0	6.4	11.1	12.4	9.2	5.1	18.4
2	15.6	7.8	8.7	6.4	11.1	682.0	6.0	9.2	6.9	11.8	4.0	9.8
3	15.0	10.5	9.2	6.4	11.1	144.0	19.4	7.4	5.5	8.7	4.3	15.1
4	13.0	14.3	9.2	8.3	91.0	23.1	137.0	5.1	8.3	8.7	3.3	15.0
5	10.5	8.3	12.4	8.3	836.0	13.0	30.8	4.6	5.1	8.7	4.0	483.0
6	13.7	8.3	11.8	16.5	1,830.0	13.0	8.7	4.3	6.0	11.3	4.0	566.0
7	17.5	8.3	9.2	6.0	748.0	12.4	8.7	64.5	8.3	11.1	3.3	22.2
8	18.4	8.7	10.5	5.1	1,480.0	4.6	63.1	11.1	4.6	8.7	3.3	21.2
9	15.6	8.7	6.9	5.1	3,839.0	25.0	24.1	13.0	4.3	8.7	4.0	21.2
10	14.3	7.8	9.2	4.6	480.0	77.8	7.4	7.8	60.6	8.7	5.1	2,750.0
11	110.0	8.3	7.8	5.5	34.2	18.4	7.4	10.5	44.1	7.4	4.6	814.0
12	21.3	8.3	216.0	4.3	18.4	13.7	25.1	9.2	8.3	6.9	5.5	63.6
13	9.2	7.8	91.4	5.5	18.4	9.8	247.0	9.2	2.7	7.8	6.4	22.2
14	12.4	8.7	13.7	6.4	9.8	8.7	51.1	13.0	6.0	7.4	5.5	13.6
15	13.0	8.7	11.8	8.7	8.7	9.2	23.1	9.2	5.5	6.4	103.0	25.2
16	16.5	8.7	7.4	6.9	7.8	9.8	18.4	11.1	11.1	6.0	56.5	21.2
17	17.5	9.2	7.4	12.4	9.8	8.7	10.5	9.8	15.0	6.4	13.7	15.0
18	17.5	10.5	8.3	11.1	11.1	8.3	15.6	10.5	13.0	4.6	10.5	7.4
19	16.5	8.3	7.4	7.4	13.0	8.3	10.5	12.4	9.8	5.5	6.4	11.1
20	18.4	9.2	7.8	9.2	8.7	7.8	9.8	7.4	9.2	6.0	5.5	10.5
21	15.6	10.5	7.4	6.9	9.2	6.9	11.8	9.8	10.5	5.1	3.0	11.1
22	11.8	7.8	6.4	7.8	9.8	9.2	21.2	12.4	11.8	5.1	3.0	10.5
23	8.7	7.8	8.3	11.1	9.8	16.5	23.1	18.4	13.7	7.4	3.3	11.8
24	7.4	7.8	7.8	9.2	9.8	11.1	15.6	26.1	16.5	6.9	3.6	43.4
25	10.5	9.8	6.4	9.8	9.8	7.8	23.1	25.0	15.6	5.5	4.3	30.6
26	14.3	17.5	5.5	12.4	9.8	6.4	22.2	25.0	11.1	6.4	6.0	11.1
27	16.5	15.6	7.8	12.4	9.8	7.4	24.1	23.1	13.0	8.3	8.3	7.4
28	8.3	14.3	11.1	13.0	9.8	6.4	17.5	19.4	14.3	6.0	6.9	8.3
29	8.7	9.8	13.7	10.5	9.8	6.4	12.4	13.7	10.5	6.0	6.9	64.5
30	21.6	6.4	17.5	13.0	-	7.4	13.7	12.4	10.5	7.4	6.4	23.4
31	42.5	-	10.5	13.0	-	6.0	-	11.8	-	4.6	9.8	-
Total	566.8	286.0	576.3	270.6	8,891.8	1,828.1	1,106.8	437.5	374.2	228.7	119.5	5,141.8
Mean Daily Discharge	18.3	9.3	18.6	8.7	307.0	59.0	36.9	14.1	12.5	7.4	10.3	171.0
Max. Mean Daily Discharge	110.0	17.5	216.0	16.5	3,230.0	682.0	337.0	64.5	60.6	11.8	103.0	2,750.0
Min. Mean Daily Discharge	7.4	6.4	5.5	4.3	7.8	4.6	6.0	4.3	2.7	4.6	3.0	7.4
Runoff in Acre-feet	1,124.2	567.3	1,143.1	536.7	17,636.6	3,646.0	2,199.3	867.8	742.2	453.6	633.7	10,198.6
Maximum Stage	5.89 Feet at 0330 on February 9, 1976. - Discharge 13,900 second-feet.											
Total Acre-feet 1975-76 (39725.1)												

1975-1976 NEAR DAILY DISCHARGE OF RIO TULUNGA CREEK BELOW RIO TULUNGA DAM In second-feet												
Station # 168-X	October	November	December	January	February	March	April	May	June	July	August	September
1	6.5	0.1	0.3	0.6	0	14.8	18.2	2.0	0.1	2.2	1.8	1.4
2	+	0.1	0.3	0.6	0	2.7	18.8	2.0	+	2.2	1.8	1.3
3	+	0	0.3	0.8	3.8	3.4	18.8	1.9	0	2.2	2.2	5.3
4	+	0	0.4	0.8	0	3.4	18.8	3.5	0	2.2	1.9	7.8
5	+	0	0.5	0.6	0	6.0	18.2	2.5	0	2.3	1.9	8.1
6	+	0	0.6	1.2	0	8.9	18.8	3.8	0	2.1	1.9	8.4
7	+	0	0.5	1.5	0	8.1	18.2	6.7	0	2.2	1.9	7.8
8	+	0	0.4	1.5	0	8.9	17.6	6.3	0	2.2	1.9	7.8
9	+	0	0.4	1.4	0	9.2	16.4	5.9	0	2.2	1.9	7.8
10	+	0	0.5	1.4	0	8.6	16.4	10.8	0	2.2	2.8	25.6
11	+	0	0.6	1.4	0	10.0	15.8	17.6	0	2.2	1.9	69.0
12	+	0	1.0	1.4	0	13.2	15.8	17.6	0	2.2	1.9	31.1
13	+	0	1.0	1.4	0	14.0	17.0	16.4	0	2.2	1.9	15.6
14	+	0	0.9	1.3	0	14.6	17.0	15.2	0	2.2	1.9	5.7
15	+	0	0.7	1.4	0	13.2	17.6	13.6	0	2.2	1.9	9.8
16	+	0	0.8	1.4	0	13.2	17.0	12.8	0	2.2	1.9	13.6
17	+	0.2	0.8	1.4	12.0	13.2	17.0	12.4	0	2.2	1.9	13.6
18	0.1	0.2	0.7	1.4	30.8	13.2	17.0	8.2	0	2.2	1.9	13.2
19	0.1	0	0.7	1.4	30.7	13.2	18.2	2.0	0	2.8	1.9	13.2
20	0.2	0	0.7	1.4	30.6	12.8	19.4	0.5	0	2.2	1.9	12.8
21	0.1	0.2	0.8	1.3	30.5	12.8	20.8	0.1	0	2.2	1.9	12.8
22	0.2	0.1	0.8	1.4	30.5	12.8	15.8	0.1	0	2.1	1.9	12.4
23	0.1	0.1	0.7	1.4	30.5	12.8	15.8	0.1	0	2.0	1.9	12.0
24	0.1	0	0.6	1.4	30.8	7.4	17.0	0.1	0	2.0	1.9	12.0
25	0.1	0	0.7	1.4	31.0	3.8	17.6	0.1	0	2.0	1.9	12.0
26	0.1	0	0.7	1.4	31.5	3.8	17.6	0.1	0	2.0	1.9	12.0
27	0.2	0.1	0.6	1.4	31.5	3.8	17.0	0.1	0	1.9	1.8	8.1
28	0.2	0	0.5	1.4	31.5	3.6	16.4	0.1	0	1.9	1.7	5.0
29	0.1	0.1	0.5	1.4	31.5	10.0	15.8	0.2	1.7	1.9	1.6	5.0
30	0.2	0.1	0.6	1.4	-	18.2	6.5	0.2	2.2	1.9	1.5	5.0
31	0.2	-	0.6	1.4	-	17.0	-	0.1	-	1.9	1.4	-
Total	8.5	1.3	19.2	41.6	387.2	310.6	512.3	162.6	4.0	65.8	58.4	375.2
Mean Daily Discharge	0.27	0.04	0.6	1.3	13.4	10.0	17.1	5.2	0.1	2.1	1.9	12.5
Max. Mean Daily Discharge	6.5	0.2	1.0	3.2	31.5	18.2	20.8	17.6	2.2	2.3	2.8	69.0
Min. Mean Daily Discharge	+	0	0.3	0.6	0	2.7	6.5	0.1	0	1.9	1.4	1.3
Runoff in Acre-feet	16.9	2.6	38.1	82.5	768.0	616.1	1,016.1	322.5	7.9	130.5	115.9	744.2
Maximum Stage	Total Acre-feet 1975-76 (3861.3)											

Note: 1 cubic foot per second = .028317 cubic metre per second
1 acre-foot = 1 233.5 cubic metres

1975-1976 MEAN DAILY DISCHARGE OF VERDUGO WASH AT ESTRELLA AVENUE In second-feet													
Station # 252-B	May	October	November	December	January	February	March	April	May	June	July	August	September
1	0.7	1.0	1.8	1.8	1.0	3.9	154.0	1.0	3.9	8.4	2.8	6.2	2.5
2	1.0	1.2	1.8	1.0	1.0	3.9	32.5	1.0	5.0	8.4	3.9	5.0	2.8
3	1.0	1.5	2.0	1.0	1.0	3.9	12.0	12.0	3.9	9.5	3.9	6.2	2.8
4	1.0	1.5	1.8	1.2	1.2	32.7	1.0	12.8	6.2	10.6	2.8	5.8	2.5
5	1.0	1.8	1.8	1.8	1.2	167.0	1.0	1.5	6.2	12.9	2.8	5.0	41.9
6	1.0	1.5	1.5	1.5	1.2	99.0	0.7	1.8	8.8	12.9	2.8	5.0	1.9
7	0.7	1.5	1.5	1.5	1.5	20.7	0.7	1.8	9.8	14.0	3.9	5.0	1.8
8	0.5	1.5	1.8	1.2	1.2	67.6	0.7	8.4	2.8	16.4	2.8	5.0	1.2
9	0.7	1.5	1.8	1.2	1.2	138.0	1.5	2.0	3.9	18.8	2.5	3.9	1.0
10	0.7	1.5	1.8	1.2	1.2	11.4	6.1	2.0	3.9	29.1	2.8	3.9	180.0
11	6.2	1.5	2.0	1.8	1.2	1.2	1.0	2.0	3.9	11.8	3.9	3.9	72.9
12	2.0	1.5	27.6	1.2	1.0	1.0	28.2	3.9	11.8	3.9	2.8	2.0	2.0
13	1.8	1.5	1.0	1.2	1.5	1.2	30.8	3.9	12.9	5.0	8.3	2.3	
14	1.2	1.5	1.8	1.2	2.0	2.0	1.5	2.8	2.8	18.9	5.0	3.9	2.0
15	1.5	1.5	1.2	1.5	2.3	1.2	7.4	2.8	12.9	5.0	13.9	5.0	
16	1.0	1.2	1.0	1.5	2.3	1.5	2.8	3.9	11.8	2.8	2.3	1.2	
17	0.7	1.2	0.7	1.5	2.0	1.8	2.8	3.9	8.4	3.9	1.8	1.2	
18	0.7	1.2	0.7	1.8	11.7	2.0	2.8	5.0	6.2	3.9	1.5	1.8	
19	0.7	1.2	1.0	1.8	1.8	1.8	3.9	5.0	6.2	2.8	1.5	2.0	
20	1.0	1.2	1.0	1.8	1.0	1.8	3.9	6.2	6.2	2.8	1.5	2.0	
21	1.0	1.2	1.0	1.8	1.0	1.8	3.9	6.2	7.3	3.9	1.2	2.0	
22	1.2	1.5	1.0	2.0	1.8	1.8	2.8	6.2	6.2	5.0	1.2	2.0	
23	1.0	1.5	0.7	2.0	2.0	1.5	2.5	6.2	5.0	6.2	1.5	2.0	
24	0.7	1.5	0.7	2.3	2.0	1.8	3.9	7.3	3.9	5.0	1.5	2.0	
25	0.7	1.5	1.0	2.3	2.3	1.8	6.2	6.2	3.9	6.2	1.8	2.5	
26	0.5	1.5	1.0	2.3	2.3	1.5	6.2	6.2	3.9	6.2	1.8	2.3	
27	0.7	1.5	1.0	2.3	2.0	1.0	5.0	6.2	2.8	7.3	1.8	2.5	
28	1.0	1.5	1.0	2.3	2.3	1.0	2.8	6.2	3.9	7.3	2.0	2.5	
29	1.0	1.2	1.0	2.5	3.1	1.0	2.8	6.2	2.5	6.2	2.0	2.5	
30	1.2	1.5	1.5	2.8	-	1.0	3.9	6.2	2.8	6.2	2.3	2.3	
31	0.7	-	0.7	2.8	-	1.0	-	7.3	-	7.3	2.5	-	
Total	34.8	42.4	65.6	51.8	593.7	290.2	290.2	171.7	166.1	284.3	136.8	106.0	353.4
Mean Daily Discharge	1.1	1.4	2.1	1.7	20.5	9.4	9.4	5.7	5.3	9.5	4.4	3.4	11.6
Max. Mean Daily Discharge	6.2	1.8	27.6	2.8	167.0	154.0	30.8	9.8	29.1	7.3	13.9	180.0	
Min. Mean Daily Discharge	0.5	1.0	0.7	1.0	1.0	0.7	1.0	2.8	2.5	2.5	1.2	1.0	
Runoff in Acres-Foot	69.0	84.1	130.1	102.7	1,177.6	575.6	575.6	340.6	329.4	563.9	271.3	210.2	701.0
Maximum Stage	Total Acres-foot 1975-76 (4555.5)												

1975-1976 DAILY DISCHARGE OF LOS ANGELES RIVER AT TUJUNGA AVENUE In second-feet													
Station # 300-B	Day	October	November	December	January	February	March	April	May	June	July	August	September
	1	7.6	6.2	5.5	4.0	7.8	399.0	7.2	9.9	8.4	9.5	7.2	9.3
	2	8.5	6.9	6.3	3.7	7.6	413.0	7.2	11.2	8.7	11.1	7.8	8.2
	3	8.2	6.8	8.0	5.7	7.2	85.8	64.9	9.1	8.4	9.9	7.2	12.5
	4	7.8	7.3	11.5	6.1	66.1	124.4	168.0	7.4	8.2	10.2	7.4	11.2
	5	8.5	6.6	9.2	6.3	113.0	8.8	12.4	8.4	8.5	9.7	7.0	459.0
	6	8.0	6.5	7.2	6.7	909.0	6.6	5.9	7.5	9.9	10.6	7.2	175.0
	7	9.7	5.9	6.8	6.1	605.0	7.4	6.3	41.1	8.7	11.2	7.4	10.1
	8	9.1	6.1	6.8	7.3	768.0	9.2	28.4	7.6	8.2	9.4	7.2	8.7
	9	6.3	5.2	7.1	7.4	2,440.0	7.9	9.0	7.8	8.2	11.9	7.2	10.4
	10	5.9	6.3	7.8	9.3	897.0	25.7	6.6	7.8	131.0	10.1	7.0	1,730.0
	11	90.8	5.7	8.5	9.3	17.9	7.4	6.4	7.4	13.0	9.7	7.4	494.0
	12	7.4	4.8	124.0	8.9	12.5	6.1	34.5	8.2	7.8	9.1	8.0	24.2
	13	6.1	4.8	22.5	9.5	10.2	6.4	124.0	9.1	7.8	9.8	7.6	10.9
	14	6.6	6.0	5.7	11.4	8.0	8.3	15.8	9.7	8.4	10.0	8.5	8.7
	15	7.6	6.5	5.2	8.2	6.8	8.3	11.5	9.3	10.6	9.3	102.0	10.5
	16	8.2	7.0	6.3	7.4	6.6	8.7	6.1	8.3	13.2	8.4	11.0	7.3
	17	7.6	6.1	12.3	8.0	7.2	7.6	5.0	8.0	10.9	8.1	6.6	4.8
	18	7.8	5.3	6.6	9.2	7.6	7.8	6.3	9.9	12.0	8.0	6.8	5.5
	19	7.6	5.7	6.5	8.0	7.6	6.6	6.1	9.9	11.3	8.2	7.7	6.7
	20	7.2	6.1	6.6	6.1	5.7	7.0	7.6	7.8	10.1	10.0	7.0	5.5
	21	7.2	6.1	6.1	8.2	5.5	7.0	8.2	7.6	9.5	10.4	7.4	6.3
	22	6.6	5.0	7.4	8.2	6.6	18.0	8.3	7.6	10.6	10.6	7.2	5.7
	23	5.2	6.1	9.1	9.7	6.8	8.3	7.4	8.2	10.9	8.9	7.0	5.5
	24	4.7	7.0	5.8	9.1	7.2	7.6	11.2	8.2	11.1	8.0	8.2	7.8
	25	5.0	9.1	5.9	10.1	6.9	7.0	8.7	7.0	13.5	8.0	7.8	7.8
	26	6.8	8.0	5.3	8.4	7.7	7.9	7.1	7.8	12.7	8.4	8.1	5.0
	27	8.0	8.6	5.3	7.4	7.2	6.8	9.1	8.7	13.5	8.4	7.8	6.7
	28	7.4	5.9	4.7	7.6	7.6	6.4	8.0	7.8	13.2	7.8	7.6	5.9
	29	7.2	7.1	5.5	7.8	8.2	7.2	8.2	7.5	12.3	8.2	8.4	60.5
	30	64.7	6.0	6.5	8.9	-	7.4	9.8	7.5	10.6	7.8	8.7	5.7
	31	9.7	-	5.3	7.8	-	7.6	-	7.0	-	7.6	9.3	-
	Total	369.0	190.7	342.7	241.8	5,370.5	1,132.2	655.2	289.7	431.2	288.3	332.7	3,059.4
	Mean Daily Discharge	11.9	6.4	11.1	7.8	125.0	36.5	21.8	9.3	14.4	9.3	10.7	102.0
	Max. Mean Daily Discharge	90.8	9.1	124.0	11.4	2,440.0	413.0	168.0	41.1	131.0	11.9	102.0	1,730.0
	Min. Mean Daily Discharge	4.7	4.8	4.7	3.7	5.5	6.1	5.0	7.0	7.8	7.6	6.6	4.8
	Runoff in Acres-foot	731.9	378.2	680.0	479.7	10,658.2	2,245.7	1,299.6	574.6	855.3	572.8	659.9	6,068.2
	Maximum Stage	7.39 feet at 0315 on February 9, 1976. Discharge 9,680 second-feet. Total Acres-foot 1975-76 (25197.1)											

1975-1976
MEAN DAILY DISCHARGE OF PACODNA CREEK FLUME BELOW PACODNA DAM
In second-feet

Station 118 BR	Day	October	November	December	January	February	March	April	May	June	July	August	September
1	0.7	0.2	0.2	0.3	0.4	0.5	10.2	1.0	1.0	1.2	0.7	0.9	0.3
2	0.7	0.2	0.2	0.3	0.4	0.5	5.5	1.0	1.0	1.2	0.7	0.7	0.5
3	0.7	0.2	0.2	0.3	0.4	0.5	0.5	1.0	1.0	1.2	0.7	0.7	1.0
4	0.7	0.2	0.2	0.3	0.4	0.5	0.5	1.0	1.0	1.2	0.7	0.7	0.4
5	0.7	0.2	0.1	0.3	0.4	0.5	6.6	2.6	1.8	1.8	1.2	0.7	0.3
6	0.7	0.2	0.1	0.3	0.5	0.5	8.9	4.9	1.0	1.0	0.9	0.7	0.3
7	11.7	0.1	0.1	0.3	0.5	0.5	6.1	4.6	1.0	1.0	0.7	0.7	0.4
8	13.0	0.1	0.1	0.3	0.5	0.5	8.8	4.7	1.0	1.0	0.7	0.7	0.4
9	0.2	0.1	0.2	0.3	0.5	0.5	14.1	4.8	1.0	1.0	0.7	0.7	0.4
10	0.2	0.1	0.3	0.2	0.5	0.5	12.3	4.9	1.0	1.0	0.7	0.7	2.4
11	0.2	0.1	0.3	0.2	0.5	0.5	12.3	5.0	1.0	1.0	0.7	0.7	10.1
12	0.2	0.1	0.4	0.2	0.5	0.5	12.3	6.7	1.0	1.0	0.7	0.7	4.6
13	0.2	0.1	0.4	0.1	0.5	0.5	12.3	10.9	1.0	1.0	0.7	0.7	2.4
14	0.2	0.1	0.3	0.1	0.5	0.5	12.3	12.0	1.0	1.0	0.7	0.7	2.1
15	0.2	0.1	0.3	0.1	0.5	0.5	12.3	12.0	1.8	32.8	0.7	0.7	1.9
16	0.2	0.1	0.3	0.1	0.5	0.5	12.3	10.1	1.0	63.8	0.7	7.3	1.6
17	0.2	0.1	0.3	0.1	0.5	0.5	12.3	7.2	1.0	99.3	0.7	27.6	1.4
18	0.2	0.1	0.3	0.1	0.5	0.5	11.5	7.2	1.0	38.2	0.7	9.2	1.1
19	0.2	0.1	0.3	0.1	0.5	0.5	8.2	7.2	1.0	4.2	0.7	0.7	0.9
20	0.2	0.1	0.3	0.1	0.5	0.5	0.5	7.2	1.0	1.1	0.7	0.7	0.9
21	0.2	0.1	0.3	0.1	0.5	0.5	0.5	3.9	1.0	1.4	0.7	0.7	0.8
22	0.2	0.1	0.3	0.2	0.5	0.5	0.5	0.5	1.0	1.9	0.7	4.7	0.7
23	0.2	0.1	0.3	0.2	0.5	0.5	0.5	0.5	1.0	1.9	0.7	0.8	0.7
24	0.2	0.1	0.3	0.2	0.5	0.5	0.5	0.5	1.0	1.9	0.7	0.8	0.7
25	0.2	0.1	0.3	0.2	0.5	0.5	0.5	0.9	1.0	1.4	0.7	0.8	0.7
26	0.2	0.1	0.3	0.2	0.5	0.5	0.5	0.9	1.0	1.4	0.7	0.8	0.7
27	0.2	0.1	0.3	0.2	0.5	0.5	0.5	0.9	1.0	1.4	0.7	0.8	0.7
28	0.2	0.2	0.3	0.3	0.5	0.5	0.5	0.9	1.0	1.4	0.7	0.8	0.7
29	0.2	0.2	0.3	0.4	0.5	0.5	6.5	0.9	1.0	1.4	0.7	0.8	0.7
30	0.2	0.2	0.3	0.4	0.5	0.5	10.4	0.9	1.0	1.4	0.7	0.8	0.7
31	0.2	-	0.3	0.4	-	-	10.3	-	1.0	-	0.7	0.9	-
Total	33.5	3.9	8.2	6.9	14.0	196.6	139.0	31.0	228.9	24.4	64.7	41.1	
Mean Daily Discharge	1.1	0.1	0.3	0.2	0.5	6.3	4.6	1.0	7.6	0.8	2.1	1.3	
Max. Mean Daily Discharge	13.0	0.2	0.4	0.4	0.5	14.1	12.0	1.0	63.8	1.2	27.6	10.1	
Min. Mean Daily Discharge	0.2	0.1	0.1	0.1	0.4	0.5	0.5	1.0	1.0	0.7	0.7	0.7	
Runoff in Acre-feet	66.4	7.7	16.3	13.7	27.8	390.0	275.9	61.5	454.0	48.4	188.3	81.5	
Maximum Stage	0.82 feet at 1430 on June 15, 1976. Discharge 65.6 second-feet												
	Total Acre-feet 1975-76 (1571.5)												

1975-1976
MEAN DAILY DISCHARGE OF BURBANK-WESTERN STORM DRAIN AT RIVERSIDE DRIVE
In second-feet

Station # 285-A	Day	October	November	December	January	February	March	April	May	June	July	August	September
1	10.6	9.1	9.1	9.1	9.1	9.1	70.8	9.1	10.6	10.6	10.6	15.7	10.6
2	9.1	9.1	9.1	9.1	9.1	9.1	78.9	9.1	10.6	10.6	10.6	15.7	11.9
3	10.6	9.1	9.1	9.1	9.1	7.9	10.6	32.6	10.6	10.6	10.6	11.9	13.1
4	10.6	9.1	9.1	9.1	9.1	18.0	9.1	15.6	9.1	10.6	9.1	14.6	13.1
5	9.1	9.1	9.1	7.9	155.0	9.1	9.1	10.6	10.6	10.6	10.6	14.6	136.0
6	10.6	9.1	9.1	5.6	117.0	9.1	9.1	13.1	10.6	10.6	10.6	14.6	11.9
7	10.6	9.1	9.1	4.5	40.7	9.1	10.6	13.5	10.6	10.6	10.6	14.6	11.9
8	10.6	9.1	9.1	5.0	50.6	9.1	14.6	9.1	10.6	10.6	10.6	13.1	11.9
9	10.6	9.1	9.1	5.0	169.8	9.1	11.9	9.1	9.1	10.6	10.6	15.7	11.9
10	10.6	10.6	9.1	4.5	14.6	10.6	13.1	9.1	14.2	10.6	10.6	15.7	221.0
11	14.9	9.1	9.1	4.5	7.9	9.1	11.9	9.1	11.9	11.9	11.9	15.7	46.8
12	9.1	9.1	41.5	5.0	5.6	9.1	25.5	9.1	10.6	11.9	13.1	13.1	10.6
13	9.1	9.1	10.6	4.5	7.9	9.1	16.9	10.6	9.1	13.1	11.9	11.9	11.9
14	9.1	9.1	9.1	4.5	7.9	9.1	10.6	9.1	9.1	11.9	11.9	11.9	11.9
15	9.1	9.1	9.1	4.5	7.9	9.1	10.6	10.6	9.1	13.1	11.9	11.9	11.9
16	9.1	9.1	9.1	7.9	7.9	9.1	9.1	10.6	9.1	15.7	7.9	11.9	11.9
17	10.6	10.6	9.1	9.1	7.9	9.1	10.6	10.6	9.1	15.7	6.7	10.6	10.6
18	9.1	9.1	9.1	9.1	7.9	10.6	9.1	10.6	9.1	14.6	6.7	10.6	10.6
19	9.1	9.1	10.6	9.1	7.9	9.1	9.1	10.6	9.1	15.7	5.6	10.6	10.6
20	9.1	9.1	10.6	7.9	7.9	9.1	9.1	10.6	9.1	13.1	5.6	11.9	11.9
21	9.1	9.1	9.1	7.9	7.9	9.1	10.6	10.6	9.1	11.9	5.6	10.6	10.6
22	9.1	10.6	10.6	7.9	7.9	10.6	10.6	10.6	9.1	11.9	6.7	10.6	10.6
23	9.1	10.6	10.6	7.9	7.9	9.1	10.6	10.6	9.1	14.6	7.9	10.6	10.6
24	9.1	7.9	10.6	7.9	7.9	9.1	11.9	10.6	9.1	11.1	7.9	13.2	13.2
25	9.1	7.9	9.1	7.9	7.9	9.1	11.9	10.6	9.1	13.1	9.1	10.6	10.6
26	9.1	9.1	9.1	7.9	9.1	9.1	11.9	10.6	9.1	15.7	11.9	10.6	10.6
27	9.1	9.1	9.1	6.7	9.1	9.1	11.9	10.6	9.1	18.5	10.6	10.6	10.6
28	9.1	9.1	9.1	6.7	10.6	9.1	13.1	10.6	9.1	15.7	10.6	10.6	10.6
29	9.1	9.1	10.6	6.7	10.6	9.1	10.6	10.6	9.1	17.1	9.1	11.9	11.9
30	12.4	9.1	10.6	9.1	-	9.1	10.6	9.1	10.6	18.5	10.6	10.6	10.6
31	9.1	-	10.6	9.1	-	9.1	-	10.6	-	17.1	10.6	-	-
Total	304.7	276.6	328.0	280.7	746.6	416.4	378.0	322.0	293.9	408.4	343.8	711.9	
Mean Daily Discharge	9.8	9.2	10.6	7.1	23.7	13.4	12.4	10.6	9.8	13.2	11.1	83.7	
Max. Mean Daily Discharge	14.9	10.6	41.5	9.1	169.0	74.9	32.6	13.5	12.2	18.5	15.7	221.0	
Min. Mean Daily Discharge	9.1	7.9	9.1	4.5	5.6	9.1	9.1	9.1	9.1	9.1	5.6	10.6	
Runoff in Acre-feet	604.4	548.6	690.6	437.8	1,428.9	823.9	737.9	638.7	582.9	610.0	681.9	1,412.0	
Maximum Stage	2.69 feet at 1506 on September 5, 1976. Discharge 3,039 second-feet.												
	Total Acre-feet 1975-76 (9411.6)												

Appendix F

WELLS DRILLED AND DESTROYED

WELLS DESTROYED 1975-76

<u>Party</u>	<u>State Well No.</u>	<u>Owner No.</u>
Western Oil and Gas Association	1N/13W-33P16	W-48
Western Oil and Gas Association	1N/13W-33P17	W-51
Western Oil and Gas Association	1N/13W-33P19	W-53
Western Oil and Gas Association	1N/13W-33P24	W-63
Western Oil and Gas Association	1S/13W-4C6	W-29
Western Oil and Gas Association	1S/13W-4C5	W-28
Western Oil and Gas Association	1S/13W-4C3	W-25
Western Oil and Gas Association	1S/13W-4C16	W-59
Western Oil and Gas Association	1S/13W-4C4	W-36
Western Oil and Gas Association	1S/13W-4C7	W-30
City of San Fernando	3N/15W-34H01	5

WELLS DRILLED 1975-76

Charles Armstrong	3N/14W-33A02	
LADWP	1N/14W-08K02	6A
Ronald D. Vickrey	3N/13W-31R01	
Harry L. Wolfe	3N/13W-31R02	
LACFCD	2N/15W-18Q01 *	
LACFCD	2N/15W-19P01 *	

* Observation Wells

